

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	according to Annex III, IV
XCNT2121P16	LIMIT SWITCH 1NO 1NC SNAP HORIZ ACT 2 ISO16	RoHS compliant with exemptions	III-6(a)
XCNT2102P16	LIMIT SWITCH 1NO 1NC SNAP ROLL PLUNGER 2 ISO16	RoHS compliant with exemptions	III-6(a)
XCNT2110P16	LIMIT SWITCH 1NO 1NC SNAP PLUNGER 2 ISO16	RoHS compliant with exemptions	III-6(a)
XCNT2128P16TQ	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER PLUNGER	RoHS compliant with exemptions	III-6(a)
XCNT2502G11	LIMIT SWITCH 1NO 1NC SLOW ROLL PLUNGER 2 PG11	RoHS compliant with exemptions	III-6(a)
XCNT2118P16	LIMIT SWITCH 1NO 1NC SNAP ROLL LEVER 2 ISO16	RoHS compliant with exemptions	III-6(a)
XCPR2908P20	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a)
XCKP2118G11	LIMIT SWITCH XCKP ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2118N12	LIMIT SWITCH XCKP ROLLER LEVER 1NC AND 1NO	RoHS compliant with exemptions	III-6(c)
XCKP2145N12	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER 1NC AND 1NO	RoHS compliant with exemptions	III-6(c)
XCKP2118P16	LIMIT SWITCH XCKP ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2145P16	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2118G11X1	LIMIT SWITCH PLASTIC NO AND NC ROTATIVE HEAD WITH EXEMPTIONS PLASTIC ROLLER LEVE	RoHS compliant with exemptions	III-6(c)
XCKP2118M12	LS PLAST 1NC1NO SA M12 THERMOPLST ROLLER LEVER	RoHS compliant with exemptions	III-6(c)
XCKP2125P20RZ	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(c)
XCKP2145G11	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2144G11	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(c)
XCKP2118G110WX1	LIMIT SWITCH PLASTIC NO AND NC ROTAT HEAD WITH EXEMPTIONS PLAST ROL LEV 345 DEG	RoHS compliant with exemptions	III-6(c)
XCKP2118G11FRX1	LIMIT SWITCH PLASTIC NO AND NC ROTAT HEAD 90DEG PLAST ROL LEV 270DEG	RoHS compliant with exemptions	III-6(c)
XCKT2118P16	LIMIT SWITCH XCKT ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCPR2118N12	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2118D44	LIMIT SWITCH PLASTIC NO AND NC WITH EXEMPTIONS PLASTIC ROLLER LEVER DEUTSCH CONN	RoHS compliant with exemptions	III-6(c)
XCKP2101P16	LIMIT SWITCH XCKP WITHOUT OPERATING LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2154P16	LIMIT SWITCH PLASTIC NO AND NC WITH EXEMPTIONS ROTARY HEAD AND SQUARE ROD LEVER	RoHS compliant with exemptions	III-6(c)
XCKP2155P16	LIMIT SWITCH PLASTIC 1NC1NO SNAP ACTION ISO16 ROD LEVER GLASS FIBER	RoHS compliant with exemptions	III-6(c)
XCKP2518P16	LIMIT SWITCH XCKP ROLLER LEVER 1NO AND 1 NC	RoHS compliant with exemptions	III-6(c)
XCKP2545P16	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(c)
XCKP2718P16	LIMIT SWITCH PLASTIC 1NC1NC SLOW BREAK ISO16 THERMOPLAST ROLLER LEVER	RoHS compliant with exemptions	III-6(c)
XCKP2753P16SG1	LIMIT SWITCH PLASTIC NC NC SIMULT SLOW HEAD 05 MET ROD 3MM ISO M16	RoHS compliant with exemptions	III-6(c)
XCKP2818P16	LIMIT SWITCH PLASTIC 1NO1NO SLOW BREAK ISO16 THERMOPLAST ROLLER LEVER	RoHS compliant with exemptions	III-6(c)
XCKP3918P20	LIMIT SWITCH PLASTIC 2NC AND NO AND PLASTIC ROLLER LEVER PLUNGER	RoHS compliant with exemptions	III-6(c)
XCKP2118M12TQ	LIMIT SWITCH PLASTIC NO AND NC PLASTIC ROLLER LEVER TQ 66PCS	RoHS compliant with exemptions	III-6(c)
XCKP2118N12X1	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(c)
XCKP2125M12	LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKP2145G11FRX1	RESTRICTED TO HD CAMPBELL 98331. SPECIAL LABELING FOR GENIE	RoHS compliant with exemptions	III-6(c)
XCKP2145M12	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCKP2145N12X1	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(c)
XCKP21500G11X1	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(c)
XCKP2155M12	LIMIT SWITCH PLASTIC 1NC1NO SNAP ACTION M12 ROD LEVER GLASS FIBER	RoHS compliant with exemptions	III-6(c)
XCKP2155M12SDH	LIMIT SWITCH 1NC1NO SNAP ACTION M12 CON SPECIAL CABLING ROD LEVER GLA	RoHS compliant with exemptions	III-6(c)
XCKP2518G11S39	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER WITH EXEMPTIONS PE	RoHS compliant with exemptions	III-6(c)
XCKP2718G11X1	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(c)
XCKP2745G11X1	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(c)
XCKP2818G11X1	LIMIT SWITCH XCKP ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2918M12	LIMIT SWITCH PLASTIC NC AND NC AND PLASTIC ROLLER LEVER CON M12	RoHS compliant with exemptions	III-6(c)
XCKP6118G11X1	LIMIT SWITCH XCKP ROLLER LEVER 1 NC AND 1 NO GOLD CONTACTS	RoHS compliant with exemptions	III-6(c)
XCKP6145G11FAX1	LIMIT SWITCH XCKP ROLLER LEVER ADJUSTABLE 1 NC AND 1 NO GOLD CONTACTS	RoHS compliant with exemptions	III-6(c)
XCKP2101G11	LIMIT SWITCH XCKP WITHOUT OPERATING LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2518G11	LIMIT SWITCH XCKP ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2545G11	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2718G11	LIMIT SWITCH PLASTIC NO AND NO AND ROTARY HEAD WITH EXEMPTIONS LEVER AND OUTLET	RoHS compliant with exemptions	III-6(c)
XCKP2818G11	LIMIT SWITCH PLASTIC NO AND NO AND PLASTIC ROLLER LEVER	RoHS compliant with exemptions	III-6(c)
XCKP2145G13	LIMIT SWITCH PLAST 1NC1NO SNAP ACT PG13.5 VARIAB LENGTH PLAST ROLLER	RoHS compliant with exemptions	III-6(c)
XCKP2118D44RB	LIMIT SWITCH PLASTIC NO NC PLAST ROLLER LEVER DEUTSCH CONNEC	RoHS compliant with exemptions	III-6(c)
XCKP2171N12RF	LIMIT SWITCH PLASTIC NO AND NC HEAD 270° FORK ARM ROLL 1 TR 90° 1/2 NP	RoHS compliant with exemptions	III-6(c)
XCKP2171P200R	LIMIT SWITCH PLASTIC 1NO1NC FORKED ARM PLASTIC ROLLER	RoHS compliant with exemptions	III-6(c)
XCKP2101N12	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(c)
XCKP2118P20	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(c)
XCKP2144N12	LMT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant with exemptions	III-6(c)
XCKP2918D44SGP	POSITION SWITCHCH.KUNST. OEOE SPRG ROL.HEB.DEUT.	RoHS compliant with exemptions	III-6(c)
XCKP2125D44SGC	POSITIONSSCHALTER	RoHS compliant with exemptions	III-6(c)
XCKP2918G11ZRX1	LIMIT SWITCH 204VAC 10A PLAST XCKP	RoHS compliant with exemptions	III-6(c)
XCKP3718G11	PLASTIC LIMIT SWITCH 2NC 1NO SLOW BRAKE PG11 THERMOPLASTIC ROLLER	RoHS compliant with exemptions	III-6(c)
XCKP6945G11ZHX1	LIMIT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant with exemptions	III-6(c)
XCKP2918G11	LIMIT SWITCH PLASTIC NC AND NC AND PLASTIC ROLLER LEVER	RoHS compliant with exemptions	III-6(c)
XCKP2853P16SG2	LIMIT SWITCH PLASTIC NO NO SIMULT SLOW H	RoHS compliant with exemptions	III-6(c)
XCKP3118D44SGP	LIMIT SWITCH PLAST 2NONC SPECIAL CABLING	RoHS compliant with exemptions	III-6(c)
XCKP2125D44	LIMIT SWITCH PLASTIC NO AND NC	RoHS compliant with exemptions	III-6(c)
XCKP2145P20SG5	LIMIT SWITCH PLASTIC NO AND NC PLAST ROL LEV 15 DEG CAB GLD M20 MOUNTED	RoHS compliant with exemptions	III-6(c)
XCKP2171N12	LIMIT SWITCH - PLASTIC WITH EXEMPTIONS 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(c)
XCKT2118G11	LIMIT SWITCH XCKT ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKT1587922	LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCKT2145G11	LIMIT SWITCH XCKT ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKT2145P16	LIMIT SWITCH XCKT ADJUSTABLE ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCTR2118G11	LIMIT SWITCH XCTR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCTR2518G11	LIMIT SWITCH XCTR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCPR2118G13	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCPR2518P20	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCPR2118P20	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCPR2918P20	LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCPR2918G13	LIMIT SWITCH MAN RESET PLAST 2NC SNAP PLAST ROLLER LEVER PG13	RoHS compliant with exemptions	III-6(c)
XCPR2518G13	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCPR2918G11	LIMIT SWITCH MAN RESET PLAST 2NC SNAP PLAST ROLLER LEVER PG11	RoHS compliant with exemptions	III-6(c)
XCPR2918P16	LIMIT SWITCH MAN RESET PLAST 2NC SNAP PLAST ROLLER LEVER M16	RoHS compliant with exemptions	III-6(c)
XCPR2518N12	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(c)
XCKP2118G11FH	ORIENTATION HEAD 90° & LEVER 120°	RoHS compliant with exemptions	III-6(c)
XCKP2118G11RP	ORIENTATION HEAD 270° & LEVER 240°	RoHS compliant with exemptions	III-6(c)
XCKP2955N12	LIMIT SWITCH PLASTIC 2NC SNAP ACTION	RoHS compliant with exemptions	III-6(c)
XCKT2118G11S24	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER AND CON	RoHS compliant with exemptions	III-6(c)
ZCP21	LIMIT SWITCH BODY ZCP 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP21M12	PLAST BODY M12 1NO1NC SA	RoHS compliant with exemptions	III-6(c)
ZCP31	LIMIT SWITCH BODY ZCP 1 NC AND 2 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP28	LIMIT SWITCH BODY ZCP 2 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP29	LIMIT SWITCH BODY ZCP 2 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP39	LIMIT SWITCH BODY ZCP 2 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT27G11	LIMIT SWITCH BODY ZCT 2 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP25	LIMIT SWITCH BODY ZCP 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP27M12	LIMIT SWITCH PLASTIC NC AND NC BODY WITH EXEMPTIONS CTS INTEGRAL M12 CONNECTOR	RoHS compliant with exemptions	III-6(c)
ZCP29M12	PLAST BODY M12 1NC1NC SA	RoHS compliant with exemptions	III-6(c)
ZCP05	PLAST BODY 1NO 1NC SLWA RING TYPE CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCP08	PLAST BODY 1NO 1NO SLWA RING TYPE CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCP21D44	LIMIT SWITCH PLASTIC NO AND NC WITHOUT HEAD WITH EXEMPTIONS DEUTSCH CONNECTOR	RoHS compliant with exemptions	III-6(c)
ZCP21M12SAY	PLAST BODY M12 1NO1NC SA SPECIFIC WIRING	RoHS compliant with exemptions	III-6(c)
ZCP26	LIMIT SWITCH BODY ZCP 1 NO AND 1 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP27	LIMIT SWITCH BODY ZCP 2 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP37	LIMIT SWITCH BODY ZCP 2 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCP61	PLAST BODY 1NO 1NC SA GOLD FLASHED CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCP66	PLAST BODY 1NO1NC MBB GOLD FLASHED CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCP69	PLAST BODY 1NC 1NC SA GOLD FLASHED CONTACTS	RoHS compliant with exemptions	III-6(c)
ZCP21X1	LIMIT SWITCH PLASTIC NO AND NC	RoHS compliant with exemptions	III-6(c)
ZCP28X1	LIMIT SWITCH PLASTIC 2NO SIMU SLOW BRAKE	RoHS compliant with exemptions	III-6(c)
ZCP29X1	LIMIT SWITCH PLASTIC 2 NC SNAP ACTION	RoHS compliant with exemptions	III-6(c)
ZCP61X1	PLAST BODY 1NO 1NC SA GOLD FLASHED C	RoHS compliant with exemptions	III-6(c)
ZCP27X1	LIMIT SWITCH PLASTIC 2NC SIMU SLOW BRAKE	RoHS compliant with exemptions	III-6(c)
ZCP68X1	PLAST BODY 1NO 1NO SLWA GOLD FLASHED C	RoHS compliant with exemptions	III-6(c)
ZCP69X1	PLAST BODY 1NC 1NC SA GOLD FLASHED C	RoHS compliant with exemptions	III-6(c)
XCKP2110P16SGV	LIMIT SWITCH PLASTIC NO AND NC	RoHS compliant with exemptions	III-6(c)
ZCP28M12	LIMIT SWITCH PLASTIC 2 NO SLOW BRAKE	RoHS compliant with exemptions	III-6(c)
XCPR2910P20	LIMIT SWITCH	RoHS compliant with exemptions	III-6(c)
XCPR2910G13	LIMIT SWITCH MAN RESET PLAST 2NC SNAP METAL END PLUNGER PG13	RoHS compliant with exemptions	III-6(c)
XCPR2910G11	LIMIT SWITCH MAN RESET PLAST 2NC SNAP METAL END PLUNGER PG11	RoHS compliant with exemptions	III-6(c)
XCKP3910N12	XCKP LIMIT SWITCH + OPTIONS	RoHS compliant with exemptions	III-6(c)
ZCT21P16	LIMIT SWITCH BODY ZCT 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT21G11	LIMIT SWITCH BODY ZCT 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT25G11	LIMIT SWITCH BODY ZCT 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT25P16	LIMIT SWITCH BODY ZCT 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT26G11	LIMIT SWITCH BODY ZCT 1 NO AND 1 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT26P16	LIMIT SWITCH BODY ZCT 1 NO AND 1 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT27P16	LIMIT SWITCH BODY ZCT 2 NC TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT28G11	LIMIT SWITCH BODY ZCT 2 NO TERMINALS	RoHS compliant with exemptions	III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

ZCT28P16	LIMIT SWITCH BODY ZCT 2 NO TERMINALS	RoHS compliant with exemptions	III-6(c)
ZCT29G11	LIMIT SWITCH BODY ZCT WITH EXEMPTIONS 2NC SNAP	RoHS compliant with exemptions	III-6(c)
XCSD3919P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3918P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2149P16	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3919G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2119P16	LIMIT SWITCH XCKP STEEL ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2139P16	LIMIT SWITCH XCKP ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2539P16	LIMIT SWITCH XCKP ROLLER LEVER AND 50 MM 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2149M12	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2191G11X1	LIMIT SWITCH XCKP SPRING LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2149G11	LIMIT SWITCH XCKP ADJUSTABLE ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2191N12	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2146N12SII	LIMIT SWITCH PLASTIC NO AND NC STEEL ROLLER LEVER 1/2 NPT SPECIFIC ASSY	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2118N12	LIMIT SWITCH XCKT ROLLER LEVER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2145N12	LIMIT SWITCH XCKT ADJUSTABLE ROLLER LEVER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2518N12	LIMIT SWITCH 240VAC 10A PLAST	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2118P16S54	LIMIT SWITCH PLASTIC NO AND NC AND DEPORTED PLASTIC ROLLER LEVER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2139G11	LIMIT SWITCH XCKT ROLLER LEVER AND 50 MM 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2519P20	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2119P20	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2119G13	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2119N12	LIMIT SWITCH XCPR ROLLER LEVER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2939P20	LIM SWIT PLASTI NC AND NC WITH EXEMPTIONS RE	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP251AG11S21	LIMIT SWITCH PLASTIC NO AND NC METAL END PLUNGER WITH EXEMPTIONS SILICON BOOT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP251AG11S20	LIMIT SWITCH PLASTIC NO AND NC METAL END PLUNGER SILICON BOOT FIX PLA	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP212AP16SGV	LIMIT SWITCH PLASTIC NO AND NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2153M12	LIMIT SWITCH PLAST 1NC1NO SNAP M12 ROUND ROD LEVER STEEL	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2919P16SG3	LIMIT SWITCH PLASTIC NC AND NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3718G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3718N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3718P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3719G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3719N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3719P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3918G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3918N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSD3919N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSD ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSP3918P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3918G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3919P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3918N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3919G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3919N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROTARY LEVER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2102D44	LIMIT SWITCH PLASTIC NO AND NC STEEL ROLLER PLUNGER 90° DEUTSCH CONNE	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2102P16	LIMIT SWITCH XCKP ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2106P16	LIMIT SWITCH XCKP CAT S WHISKER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110P16	LIMIT SWITCH XCKP STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2102M12	LIMIT SWITCH XCKP ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2102G11	LIMIT SWITCH XCKP ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2106G11	LIMIT SWITCH XCKP CAT S WHISKER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110G11	LIMIT SWITCH XCKP STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121G11	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121P16	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2511G11	LIMIT SWITCH XCKP BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2128N12	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121G11X1	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110G11SAM	LIMIT SWITCH PLASTIC NO AND NC AND EXTENDED METAL END PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2102N12	LIMIT SWITCH XCKP ROLLER PLUNGER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2106N12	LIMIT SWITCH XCKP CAT S WHISKER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110N12	LIMIT SWITCH XCKP STEEL END PLUNGER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121N12	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2127N12	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1NC AND 1N	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2111P16	LIMIT SWITCH XCKP BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2127P16	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2128P16	LS PLAST 1NC1NO SA ISO16 1ACTUA VERT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP21H0P16	LIMIT SWITCH XCKP STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP21H2P16	LIMIT SWITCH XCKP ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2502P16	LIMIT SWITCH XCKP ROLLER PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2510P16	LIMIT SWITCH XCKP STEEL END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2511P16	LIMIT SWITCH XCKP BOOTED END PLUNGER 1 NO AND 1 NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2521P16	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NO AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2527P16	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NO AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2528P16	LS PLAST 1NC1NO SL ISO16 1ACTUA VERT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2529P16	LIMIT SWITCH PLAST NO NC SLOW BREAK ACT STEEL ROLLER PLUNGER WITH EXEMPTIONS NIT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2621P16	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCKP2902P16	LIMIT SWITCH PLASTIC NO AND NO AND STEEL ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2910P16	LIMIT SWITCH PLASTIC NO AND NO AND METAL END PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP3110P16	LIMIT SWITCH PLASTIC NO AND NC AND NC AND METAL END PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP3128P16	LIMIT SWITCH PLASTIC NC AND NO AND NO PLASTIC ROLLER LEVER PLUNGER HO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2102P20	LMT SWITCH - 240 V AC - 3 A - PLASTIC - XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2128P20	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2106M12	LS PLAST 1NC1NO SA M12 CAT'S WHISKER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2108P16	LIMIT SWITCH PLASTIC NO AND NC SPRING ROD NITRILE BOOT ISO M16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110G11X1	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110M12	LIMIT SWITCH XCKP STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2111M12	LIMIT SWITCH XCKP BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121M12	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121N12X1	LIMIT SWITCH XCKP - METAL END PLUNGER - 1NC+1NO - SNAP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2127M12	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2128M12	LS PLAST 1NC1NO SA M12 1ACTUA VERT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2528P16S43	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2802M12	LIMIT SWITCH PLASTIC NO AND NO STEEL ROLLER PLUNGER CON M12	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2810G11X1	LIMIT SWITCH XCKP STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2921M12	LIMIT SWITCH PLASTIC NC AND NC AND PLASTIC ROLLER LEVER PLUNGER M12	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2111G11	LIMIT SWITCH XCKP BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2127G11	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2128G11	PLASTIC1NC1NO SA PG11 1ACTUA VERT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2502G11	LIMIT SWITCH XCKP ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2510G11	LIMIT SWITCH XCKP STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2521G11	LIMIT SWITCH XCKP ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2528G11	PLASTIC1NC1NO SL PG11 1ACTUA VERT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110G13SAM	LIMIT SWITCH PLASTIC NO AND NC AND EXTENDED METAL END PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2910N12	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP3903N12	LIMIT SWITCH PLASTIC 10A 240VAC ROLLER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2702P20FOTQ	LIMIT SWITCH PLASTIC NO AND NO ISO M20 STEEL ROLLER PLUNGER ROTATED 9	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2103G11	LIMIT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2502P20	LIMIT SWITCH 240VAC 10A PLAST	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2721N12	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2902N12	LMT SWITCH 240VAC 3A PLAST XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2110N12X1	LIMIT SWITCH 240VAC 10APLASTXCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2921G11X1	LIMIT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121P16SGV	LIMIT SWITCH PLASTIC NO AND NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP29F2G13	LIMIT SWITCH PLASTIC NC AND NC HEAD FIX	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121M12TQ	LIMIT SWITCH PLASTIC NO AND NC ROLL LEV	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2121G13	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCPR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SNAP, PG13	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCPR2121P20	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCPR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SNAP, M20	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2502P20	LIMIT SWITCH XCPR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2102P20	LIMIT SWITCH XCPR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2902G13	LIMIT SWITCH MAN RESET PLAST 2NC SNAP STEEL ROLLER PLUNGER PG13	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2902G11	LIMIT SWITCH MAN RESET PLAST 2NC SNAP STEEL ROLLER PLUNGER PG11	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2902P20	LS 2NC SNAP ROLL PLUNGER ISO20	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2502G13	LIMIT SWITCH XCPR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2102N12	LIMIT SWITCH XCPR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2902P16	LIMIT SWITCH MAN RESET PLAST 2NC SNAP STEEL ROLLER PLUNGER M16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2102G13	LIMIT SWITCH XCPR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2510P20	LIMIT SWITCH XCPR STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2102P16	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, PLASTIC NO AND NC WITH RESET	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2510G13	LIMIT SWITCH XCPR STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2121N12	LIMIT SWITCH XCPR ROLLER LEVER PLUNGER, HORIZONTAL DIRECTION 1 NC AND	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2502N12	LIMIT SWITCH XCPR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2121M12SIL	LIMIT SWITCH PLASTI NO AND NC WITH EXEMPTIONS RESET ROLLER LEVER PLUNGER POSITION F AT 90 AND M12 CONECTOR TURNED AT 180	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2127G13	LIMIT SWITCH XCPR ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2521P20	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCPR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SLOW, M20	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2127P20	LIMIT SWITCH XCPR ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2110P20	LIMIT SWITCH XCPR STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2521G13	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCPR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SLOW, PG13	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2127N12	LIMIT SWITCH XCPR ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2521G11	LIMIT SWITCH MAN RESET PLAST 1NO 1NC SNAP PLAST ROLLER PLUNGER HORIZ	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2110G13	LIMIT SWITCH XCPR STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2110N12	LIMIT SWITCH XCPR STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2521N12	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCPR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SLOW, 1/2NPT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2121P16L0	LIMIT SWITCH XC STANDARD THERMOPLASTIC BODY PLASTIC ROLLER LEVER PLUNG HOR ROT 180 DEG 1NC 1NO SNAP M16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2921P16	LIMIT SWITCH MAN RESET PLAST 2NC SNAP PLAST ROLLER PLUNGER HORIZ ACTU	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2921G11	LIMIT SWITCH MAN RESET PLAST 2NC SNAP PLAST ROLLER PLUNGER HORIZ ACTU	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2921P20	LS 2NC SNAP HORIZ ROLL PLUNGER ISO20	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2527P20	LIMIT SWITCH XCPR ROLLER LEVER PLUNGER, VERTICAL DIRECTION 1 NC AND 1	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2927G13	LIMIT SWITCH MAN RESET PLAST 2NC SNAP PLAST ROLLER PLUNGER VERTI. ACT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCPR2928P20	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2108M12	LIMIT SWITCH PLASTIC NO AND NC	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCKP6106P16	LIMIT SWITCH PLASTIC NO AND NC GOLD FLAS	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2102P16	LIMIT SWITCH XCKT ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2110P16	LIMIT SWITCH XCKT STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2510G1103	LS1NO1NC PG11 METAL END PLUM	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2102G11	LIMIT SWITCH XCKT ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2102N12	LIMIT SWITCH XCKT ROLLER PLUNGER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2106G11	LIMIT SWITCH XCKT CAT S WHISKER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2106N12	LIMIT SWITCH XCKT CAT S WHISKER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2106P16	LIMIT SWITCH XCKT CAT S WHISKER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2110G11	LIMIT SWITCH XCKT STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2110N12	LIMIT SWITCH XCKT STEEL END PLUNGER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2111G11	LIMIT SWITCH XCKT BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2111P16	LIMIT SWITCH XCKT BOOTED END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2121G11	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCKT, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SNAP, PG11	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2121G11S86	LIMIT SWITCH PLASTIC NO AND NC PLASTIC ROLLER LEVER CON M12 ON RIGHT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2121G11S87	LIMIT SWITCH PLASTIC NO AND NC PLASTIC ROLLER LEVER CON M12 ON LEFT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2121P16	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCKT, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SNAP, M16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2502G11	LIMIT SWITCH 1NO 1NC SB STEEL ROLLER PLUNGER PG11	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2510N12	LIMIT SWITCH XCKT STEEL END PLUNGER 1NC AND 1NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2510N12S23	LIMIT SWITCH XCKN WITH EXEMPTIONS ROUNDED STEEL END PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2528P16TQ	LIMIT SWITCH PLASTIC NO AND NC AND PLASTIC ROLLER LEVER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2702P16	LIMIT SWITCH PLASTIC NO AND NO AND STEEL ROLLER PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKT2710N12S23	LIMIT SWITCH PLASTIC NC AND NC AND METAL ROUNDED END PLUNGER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCTR2102P16	LIMIT SWITCH XCTR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCTR2110P16	LIMIT SWITCH XCTR STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCTR2121P16	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCTR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SNAP, M16	RoHS compliant with exemptions	III-6(a); III-6(c)
XCTR2502P16	LIMIT SWITCH XCTR ROLLER PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCTR2510G11	LIMIT SWITCH XCTR STEEL END PLUNGER 1 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCTR2521G11	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCTR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SLOW, PG11	RoHS compliant with exemptions	III-6(a); III-6(c)
XCTR2521P16	LIMIT SWITCH, LIMIT SWITCHES XC STANDARD, XCTR, THERMOPLASTIC PLASTIC ROLLER LEVER PLUNG. HOR, 1NC+1 NO, SLOW, M16	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCT21N12	LIMIT SWITCH BODY ZCT 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCT25N12	LIMIT SWITCH BODY ZCT 1 NC AND 1 NO TERMINALS	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCT27N12	LIMIT SWITCH BODY ZCT 2 NC TERMINALS	RoHS compliant with exemptions	III-6(a); III-6(c)
ZCT28N12	LIMIT SWITCH BODY ZCT 2 NO TERMINALS	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3902P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3902G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3910P20	LIMIT SWITCH FOR SAFETY APPLICATION XCSP STEEL	RoHS compliant with exemptions	III-6(a); III-6(c)

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

	PLUNGER 2 NC AND 1 NO		
XCSP3921G13	SAFETY LIMIT SWITCH NC NC NO HEAD LEVER WITH EXEMPTIONS PLASTIC ROLLER	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3902N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSP ROLLER PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3910G13	LIMIT SWITCH FOR SAFETY APPLICATION XCSP STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSP3910N12	LIMIT SWITCH FOR SAFETY APPLICATION XCSP STEEL PLUNGER 2 NC AND 1 NO	RoHS compliant with exemptions	III-6(a); III-6(c)
XCSPA1715566	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c)
XCNT2118G11S86	LIMIT SWITCH PLASTIC NO AND NC	RoHS compliant with exemptions	III-6(a); III-6(c)
XCNT2118G11S87	POSITION SWITCH ROTARY ENCODER RH KR 1S1O 1XM12 LEFT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCDR2521N12	LIMIT SWITCH XCDR - TH.PLASTIC ROLLER LEVER PLUNG. HOR - 1NC+1NO - SLOW - 1/2NPT	RoHS compliant with exemptions	III-6(a); III-6(c)
XCKP2118G11LZX1	LIMIT SWITCH 240VAC 10A PLAST XCKPMS	RoHS compliant without exemption	None
XCKP6118G11FRX1	LIMIT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant without exemption	None
XCKP6118G11LZX1	LIMIT SWITCH 240V10ACA PLAST XCKP	RoHS compliant without exemption	None
XCKP6118G11RRX1	LIMIT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant without exemption	None
XCKP6118G11RUX1	LIMIT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant without exemption	None
XCKP6118G11ZRX1	LIMIT SWITCH 240VAC 10A PLAST XCKP	RoHS compliant without exemption	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France