

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	Description	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XCSLF3737312	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 M20 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2525312	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 20 M20 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2727312	METAL SAFETY SWITCH W MAGNWITHOUT U 4C M20 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737313	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 12NPT 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737412	METAL SAF SWITCH W MAGN WITH NO U 4C 20 WITH BT ANDTUR TO REL M20 24	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737512	METAL SAFETY SWITCH W MAGNWITH U 4C 20 M20 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2525342	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 20 M20 220 240VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2725312	METAL SAFETY SWITCH W MAGN WITHOUT U 3C 10 M20 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2725342	METAL SAFETY SWITCH W MAGN WITHOUT U 3C 10 M20 220 240VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2727313	METAL SAFETY SWITCH W MAGNWITHOUT U 4C 12NPT 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF272731M2	METAL SAFETY SWITCH W MAGN WITHOUT U 4C M23 16 P 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2727333	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 12NPT 110 120VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF2727342	METAL SAFETY SWITCH W MAGNWITHOUT U 4C M20 220 240V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535312	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 40 M20 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535313	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 40 12NPT 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF353531M3	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 40 M23 19 P 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535332	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 40 M20 110 120VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535333	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 40 12NPT 110120 V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535342	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 40 M20 120 240VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535343	METAL SAFETY SWITCH W MAGN WITHOUT U 2C 40 12NPT 120240V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535412	METAL SAF SWITCH W MAGN WITH NO U 2C 40 WITH BT TURTO REL M20 24V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF353541M3	METAL SAF SWITCH W MAGN WITH NO U 2C 40 WITH BT TURTO REL M23 19P 24	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535512	METAL SAFETY SWITCH W MAGNWITH U 2C 40 M20 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535513	METAL SAFETY SWITCH W MAGNWITH U 2C 40 12NPT 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535533	METAL SAFETY SWITCH W MAGN WITH U 2C 40 12NPT 110 120VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535543	METAL SAFETY SWITCH W MAGN WITH U 2C 40 12NPT 220 240VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3535612	METAL SAF SWITCH W MAGN WITH NO U 2C 40 WITH BT ANDKEY REL M20 24V A	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF373731M3	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 M23 19 P 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737332	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 M20 110 120VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737333	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 12NPT 110120V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737342	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 M20 220 240VAC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737343	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 12NPT 220240V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSLF3737413	METAL SAF SWITCH W MAGN WITH NO U 4C 20 WITH BT ANDTUR TO REL 12NPT	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF373741M3	METAL SAF SWITCH W MAGN WITH NO U 4C 20 WITH BT ANDTUR TO REL M23 19	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737513	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 12NPT 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF373751M3	METAL SAFETY SWITCH W MAGN WITH U 4C 20 M23 19 P 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737533	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 12NPT 110120V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737543	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 20 12NPT 110220 240V AC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3737612	METAL SAF SWITCH W MAGN WITH NO U 4C 20 WITH BT ANDKEY REL M20 24V A	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3837512	METAL SAFETY SWITCH W MAGNWITH U 5C 10 M20 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF383751M3	METAL SAFETY SWITCH W MAGN WITH U 5C 10 M23 19 P 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3838312	METAL SAFETY SWITCH W MAGNWITHOUT U 6C M20 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF3838313	METAL SAFETY SWITCH W MAGNWITHOUT U 6C 12NPT 24V ACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSLF383831M3	METAL SAFETY SWITCH W MAGN WITHOUT U 6C M23 19 P 24VACDC	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSL764B3	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSL784B3	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-6(c); III-7(a); III-7(c)-I
XCSL764B2	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL564B1	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL566B1	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL584B1	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL722B3	INTERLOCK SWITCH 300VAC 10ASXCSL	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL764B1	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL761B3	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL766B1	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL768B3	INTERLOCK SWITCH 300VAC 10ASXCSL	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL784B1	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL566F1	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL764M2	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL766B2	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I
XCSL766B3	LIMIT SWITCH	RoHS compliant with exemptions	III-6(a); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France