

Date: 19/05/2025

Object: Telemecanique_Sensors_Products RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Di isobutyl phthalate (DIBP).

The information below provides the current product status according to regulation in force at the date of publication of this present document. The status reported below may evolve based on future changes, either in product design or related to the Directive.

TMSS France and its affiliates through the company's ESG strategy are engaged in continuously producing and delivering products and services which reduce the impact on environment and human health when used for their intended purpose and in conditions stated in the documentation provided.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to EU-RoHS 2011/65/EU (6 substances) and its amendment 2015/863/EU (4 substances).

Commercial Reference	DESCRIPTION	Directive 2011/65/EU (10 Substances) Compliance Status	Exemptions according to Annex III, IV
XS618B1PAM12	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1PAL2	INDUCTIVE SENSOR XS5 CYLINDRICAL M12 SN 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1PAL2	INDUCTIVE SENSOR XS5 CYLINDRICAL M18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1PAL2	INDUCTIVE SENSOR XS5 CYLINDRICAL M30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1NAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1MAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1MBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1NAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1NAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1NAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3 WIRES FLUSH M12 CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PAM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3 WIRES FLUSH M8 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NO 3 WIRES FLUSH M12 CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BJPAM12	PROX M12 SN = 4 NO PNP LONG	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS118B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3 WIRES FLUSH M12 CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NO 3 WIRES FLUSH M12 CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12PA349D	INDUCTIVE SENSOR XS1 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1PAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1PAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1NAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1PAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAM12	INDUCTIVE SENSOR XS6 CYLINDRICALM8 SN 2.5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1NAM12	INDUCTIVE SENSOR XS6 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAM12	INDUCTIVE SENSOR XS6 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PBM12	INDUCTIVE SENSOR XS6 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1NAM12	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PBM12	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1NAM12	INDUCTIVE SENSOR XS6 CYLINDRICALM30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAM12	INDUCTIVE SENSOR XS6 CYLINDRICALM30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PBM12	INDUCTIVE SENSOR XS6 CYLINDRICALM30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PAL2	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PAM8	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1DAL2	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1DAL2	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL10EX	IPS EX M18 SN=8MM NO NOY 10-58VDC PNP 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1DAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1MAU20	INDUCTIVE SENSOR XS6 CYLINDRICALM12 SN 4 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAU20	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAU20	INDUCTIVE SENSOR XS6 CYLINDRICALM30 SN 15 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M30MA250	INDUCTIVE SENSOR XS2 CYLINDRICALM30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PCL2	INDUCTIVE SENSOR CYLIND DIA 12 PNP NONC 1224V FLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PA349	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1MAL2	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NO 2WIR FLUSH SN 5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL5	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL10	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL10	INDUCTIVE SENSOR XS6 CYLINDRICALM30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18AB120	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 0.5 TO 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18KP340	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PCM12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NONC 1224V FLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PCM12	INDUCTIVE SENSOR CYLIND DIA 18 PNP NONC 1224V FLUSH SN 8 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12PC410D	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MM M12 CONN EC TOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS1N18PA349D	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PC410D	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PA349D	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 20 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PC410DSCV	INDUCTIVE SENSOR CYLINDRICAL PALFINGER DIA 18 PNP NONC1224V FLUSH SN 5MM	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M12KP340D	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18KP340D	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M08PC410D	INDUCTIVE SENSOR XS1 CYLINDRICAL M8 SN 1.5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18MA250	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30MA250	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30MB250	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4MAL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4MAL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1L04PA310	INDUCTIVE SENSOR XS1 CYLINDRICAL AND 4 MM SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N05PA310	INDUCTIVE SENSOR XS1 CYLINDRICAL M5 SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAL2C	INDUCTIVE SENSOR XS2 M12 - L44MM - BRASS - SN 4 MM - 12..24VDC - CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLNAL2C	INDUCTIVE SENSOR XS2 M18 - L53MM - BRASS - SN 8 MM - 12..24VDC - CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1CASAS	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1PAP5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES FLUSH 5M CABLE PUR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M12KP340	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30AB120SB4	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC ANALOGICAL 420MA FLUSH 5M -40°C	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PBM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NC 3 WIRES FLUSH M8 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1NAM12	INDUCTIVE SENSOR XS6 CYLINDRICAL M8 SN 2.5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1DAL2	INDUCTIVE SENSOR XS5 CYLINDRICAL M8 SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES FLUSH 2M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHNAL2	INDUCTIVE SENSOR CYLINDRICAL DIA 12 NPN NO 1224V FLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHPAL2	INDUCTIVE SENSOR CYLINDRICAL DIA 12 PNP NO 1224V FLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHPAL5	INDUCTIVE SENSOR CYLINDRICAL DIA 12 PNP NO 1224V FLUSH SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPAL2SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHNAL2	INDUCTIVE SENSOR CYLINDRICAL DIA 08 NPN NO 1224V FLUSH SN2MM5 CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHPAL2	INDUCTIVE SENSOR CYLINDRICAL DIA 08 PNP NO 1224V FLUSH SN2MM5 CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHPBL2	INDUCTIVE SENSOR CYLINDRICAL DIA 08 PNP NC 1224V FLUSH SN2MM5 CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES FLUSH 5M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAL2SF4	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES FLUSH 2M CABLE BOX 80PCS	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAP02SE8	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS112B3PBL2SF4	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRE FLUSH 2M CABLE BOX 80PCS	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BFPAL2	INDUCTIVE SENSOR CYLINDR M8THD 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHNAL5	INDUCTIVE SENSOR CYLIND DIA12 NPN NO 12 5M CABLE LENGTH	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHNBL2	INDUCTIVE SENSOR CYLIND DIA 12 NPN NC 1224V FLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHPBL2	INDUCTIVE SENSOR CYLIND DIA 12 PNP NC 1224V FLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BJPAL2	PROX M12 SN = 4 NO PNP LONG	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BJPAL4	INDUCTIVE SENSOR CYLINDRICALM12 12..24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BKNAL2	PROXI. SENSOR M12 FLUSH NPN NO2M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLNAL2SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLNBL2SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLNAL2JD	PROXI. SYBIL M12 FLUSH NPN NO L2	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES FLUSH 5M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PAL2SAX	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PAL2SF4	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRE FLUSH 2M CABLE BOX 80PCS	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BFPAL2	INDUCTIVE SENSOR CYLINDR M8THD 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BFPAL3SEM	INDUCTIVE SENSOR CYLINDR24VDC PNP NO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BFPAL5	INDUCTIVE SENSOR CYLINDR M18THD 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHNAL2	INDUCTIVE SENSOR CYLIND DIA 18 NPN NO 1224V FLUSH SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHNBL2	INDUCTIVE SENSOR CYLIND DIA 18 NPN NC 1224V FLUSH SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHPAL2	INDUCTIVE SENSOR CYLIND DIA 18 PNP NO 1224V FLUSH SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHPAL5	INDUCTIVE SENSOR CYLIND DIA 18 PNP NO 1224V FLUSH SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHPBL2	INDUCTIVE SENSOR CYLIND DIA 18 PNP NC 1224V FLUSH SN 8MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPAL2JD	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLNAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES FLUSH 5M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLNBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NC 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLNAL2JD	INDUCTIVE SENSOR CYLINDRICALM18 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES FLUSH 5M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PAL2TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH WITH 2	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NO 3 WIRES FLUSH 5M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHNAL2	INDUCTIVE SENSOR CYLIND DIA 30 NPN NO 1224V FLUSH SN15MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHNBL2	INDUCTIVE SENSOR CYLIND DIA 30 NPN NC 1224V FLUSH SN15MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHPAL2	INDUCTIVE SENSOR CYLIND DIA 30 PNP NO 1224V FLUSH SN15MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHPAL5	INDUCTIVE SENSOR CYLIND DIA 30 PNP NO 1224V FLUSH SN15MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHPBL2	INDUCTIVE SENSOR CYLIND DIA 30 PNP NC 1224V FLUSH SN15MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH 5M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS118BLPAL2JD	INDUCTIVE SENSOR CYLINDRICALM18 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30AB120EX	IPS EX M30 SN=10MM 4-20MANOY 10-38VDC 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12PA349	INDUCTIVE SENSOR XS1 CYLINDRICALM12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS208BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS208BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS208BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAL2JD	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAL2SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAL7	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES NON FLUSH 7M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNBL2SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAL2JD	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAL2SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAL3	INDUCTIVE SENSOR CYLINDRICALM12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPALSD9	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPBL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLNAL2JD	INDUCTIVE SENSOR CYLINDRICALM18 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLNBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLPAL2JD	INDUCTIVE SENSOR CYLINDRICALM18 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLNAL2C	INDUCTIVE SENSOR XS2 M30 - L57MM - BRASS - SN15MM - 12..24VDC - CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1NAL2	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1NAL2	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAL09SF1	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 3WFLUSH 0.9M CABLE M12 8PIN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAL2SF2	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 3 W FLUSH 1.5M CABLE M12 8PIN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAL2SF3	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 50 MM THREAD 3W FLUSH 2M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PBL2	INDUCTIVE SENSOR XS6 CYLINDRICALM8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PCL2	INDUCTIVE SENSOR CYLIND DIA 8 PNP NONC 1224V FLUSH SN2MM5 CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4NBL2	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V NFLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4PAL2	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V NFLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1NAL5	INDUCTIVE SENSOR XS6 CYLINDRICALM12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAL2EX	IPS EX M8 SN=4MM NO NOY 10-58VDC PNP 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PBL2SAX	INDUCTIVE SENSOR CYLINDRICALM12 12 48V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL7	INDUCTIVE SENSOR XS6CYLINDRICAL M18	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MBL2TF	INDUCTIVE SENSOR CYLINDRICALM18 24 240V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1NBL2	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL2EX	IPS EX M18 SN=8MM NO NOY 10-58VDC PNP 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL3SDL	INDUCTIVE SENSOR CYLINDRICALM18 12 48V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL6SDL	INDUCTIVE SENSOR CYLINDRICALM18 12 48V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS630B1PAL2EX	IPS EX M30 SN=15MM NO NOY10-58VDC PNP 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL5	INDUCTIVE SENSOR XS6 CYLINDRICALM30 SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B5NAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PBV2TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3 WIRES FLUSH TF 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PC410L1TF	INDUCTIVE SENSOR XS1 M18 - L37MM - BRASS - SN5MM - 12...24VDC - CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PC410L1TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO NC 4 W CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B3DAL3	PROXIMITY SENSOR 18MM SN 8 MM 2W DC NO 3M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M12AB120EX	IPS EX M12 SN=2MM 4-20MANOY 10-38VDC 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18AB120EX	IPS EX M18 SN=5MM 4-20MANOY 10-38VDC 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PCL02M12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NO NC 12 24V FLUSH SN 4 MM CAB 15CM M12 CONNEC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PCL2SF5	INDUCTIVE SENSOR CYLIND DIA 12 PNP NONC 1224V FLUSH SN 4 MM CAB 160CM DEUTSCH CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PAL03M12	INDUCTIV SENSOR CYLINDRICALM18 12 24VDC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1NALSDQ	INDUCTIVE SENSOR XS6 CYLINDRICAL M8 SN 2.5 MMPIGTAIL 15 CM AMP CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B2PAL01M12	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 5 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B2PAL01M12	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 9 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B2PBL01M12	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 9 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B2PAL01M12	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 18 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30AB120D	INDUCTIVE SENSOR CYLINDRICALM30 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4PAP03SE2	INDUCTIVE SENSOR CYLINDRIC M12 12 24VDC PNP NO 3W NONFLUSH 0,3M PUR DEUTSCH CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHNAM8	INDUCTIVE SENSOR CYLIND DIA 08 NPN NO 1224V FLUSH SN2MM5 CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHPAM12	INDUCTIVE SENSOR CYLIND DIA 08 PNP NO 1224V FLUSH SN2MM5 CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHPAM8	INDUCTIVE SENSOR CYLIND DIA 08 PNP NO 1224V FLUSH SN2MM5 CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHPBM12	INDUCTIVE SENSOR CYLIND DIA 08 PNP NC 1224V FLUSH SN2MM5 CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BHPBM8	INDUCTIVE SENSOR CYLIND DIA 08 PNP NC 1224V FLUSH SN2MM5 CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC NPN NO 3 WIRES FLUSH M12 CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES FLUSH M12 CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BLPAM8	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES FLUSH M8 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PCM12SCS	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHNAM12	INDUCTIVE SENSOR CYLIND DIA 12 NPN NO 1224V FLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHNBM12	INDUCTIVE SENSOR CYLIND DIA 12 NPN NC 1224V FLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHPAM12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NO 1224V FLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BHPBM12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NC 1224V FLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLNBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NC 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPAM12SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BLPBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PCM12SCS	INDUCTIVE SENSOR CYLINDRICALM18 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PCM12SEZ	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V PNP NONC FLUSHSN 8 MM M12 CON LONG THREAD	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PCM12TF	INDUCTIVE SENSOR M18 - BRASS - SHORT BODY - SN 8 MM - 12-24VDC - PNP - NO+NC - CONNECTOR M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHNAM12	INDUCTIVE SENSOR CYLIND DIA 18 NPN NO 1224V FLUSH SN 8 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS118BHNBM12	INDUCTIVE SENSOR CYLIND DIA 18 NPN NC 1224V FLUSH SN 8 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHPAM12	INDUCTIVE SENSOR CYLIND DIA 18 PNP NO 1224V FLUSH SN 8 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BHPBM12	INDUCTIVE SENSOR CYLIND DIA 18 PNP NC 1224V FLUSH SN 8MMCONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLPAM12SUL	INDUCTIVE SENSOR CYLINDRICALM18 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BLPBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PCM12SC5	INDUCTIVE SENSOR CYLINDRICALM30 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHNAM12	INDUCTIVE SENSOR CYLIND DIA 30 NPN NO 1224V FLUSH SN15MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHNBM12	INDUCTIVE SENSOR CYLIND DIA 30 NPN NC 1224V FLUSH SN15MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHPAM12	INDUCTIVE SENSOR CYLIND DIA 30 PNP NO 1224V FLUSH SN15MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BHPBM12	INDUCTIVE SENSOR CYLIND DIA 30 PNP NC 1224V FLUSH SN15MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130BLPBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS208BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES NON FLUSH M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS208BLPAM8	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES NON FLUSH M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAM12SE6	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLNAM12SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAM12C	INDUCTIVE SENSOR XS2 M12 - L55MM - BRASS - SN 4 MM - 12..24VDC - M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAM12SE6	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAM12SUL	INDUCTIVE SENSOR CYLINDRICALM12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1NAM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V FLUSH SN 2MM5CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLNAM12SE6	INDUCTIVE SENSOR CYLINDRICALM30 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1NAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLPAM12C	INDUCTIVE SENSOR XS2 M30 - L68MM - BRASS - SN15MM - 12..24VDC - M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230BLPAM12SE6	INDUCTIVE SENSOR CYLINDRICALM30 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1NBM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V FLUSH SN 2MM5CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V FLUSH SN 2MM5CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PBM12	INDUCTIVE SENSOR XS6 CYLINDRICALM8 SN 2.5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PBM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V FLUSH SN 2MM5CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PCM12	INDUCTIVE SENSOR CYLIND DIA 8 PNP NONC 1224V FLUSH SN2MM5 CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAM12SB1	INDUCTIVE SENSOR CYLINDRICAL12 48VDC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAM12TF	INDUCTIVE SENSOR COLD XS6CYLINDRICAL M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B5PAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1NBM12	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS1M12AB120D	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18AB120D	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PAL1	INDUCTIVE SENSOR CYLINDRICAL M08 12 24V DC PNP NO 3 WIRES 1MM FLUSH 1M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PAM12SFH	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH M12 SN1450 TF	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAP5SE9	NAN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4NAM12	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V NFLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4NAM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V NFLUSH SN 4 MM CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4NBM12	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V NFLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4NBM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V NFLUSH SN 4 MM CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4PAM12	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V NFLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4PAM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V NFLUSH SN 4 MM CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4PBM12	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V NFLUSH SN 4 MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4PBM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V NFLUSH SN 4 MM CONN M8	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4PBL2	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V NFLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B4NAL2	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V NFLUSH SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1DAL2	INDUCTIVE SENSOR XS5 CYLINDRICAL M30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAL10EX	IPS EX M12 SN=4MM NO NOY 10-58VDC PNP 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PBL10EX	IPS EX M12 SN=4MM NC NOY 10-58VDC PNP 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PBL10EX	IPS EX M18 SN=8MM NC NOY 10-58VDC PNP 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4PAL5SF7	INDUCTIVE SENSOR CYLINDRICAL M18 12 48VDC PNP NO 3 WIRES NON FLUSH 5M CABLE IP68	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL10EX	IPS EX M30 SN=15MM NO NOY 10-58VDC PNP 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PBL10EX	IPS EX M30 SN=15MM NC NOY 10-58VDC PNP 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4MAL2SF6	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2W NONFLUSH 2M SPECIF PVC CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAV10TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES FLUSH TF 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAV2TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES FLUSH TF 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18MA250A	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM 7 AND 8 INCH CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1DAM12TF	INDUCTIVE SENSOR M12 - BRASS - LONG BODY - SN2MM - 12-48VDC - NO - CONNECTOR M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4PAP03SE2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48VDC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1REQ3767	XS518B1NAL2 W/AMP 3 PIN CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BJNAL2	PROX M12 SN = 4 NO NPN LONG	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BJNAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BKBNL2	PROXI. SENSOR M12 FLUSH NPN NC2M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BKBPAL2	PROX M12 SN = 4 NO PNP SHORT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BJNAL2	PROX M18 SN = 8 NO NPN LONG	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BJPAL2	PROX M18 SN = 8 NO PNP LONG	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BKPAL2	PROX M18 SN = 8 NO PNP SHORT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL2SBM	PROXIMITY SENSOR 18MM DCPNP	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL2SBM	PROXIMITY SENSOR 30MM DCPNP	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BKBNAM12	PROXI. SENSOR M12 FLUSH NPNNO CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BKBNBM12	PROXI. SENSOR M12 FLUSH NPNNC CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112BKBPAM12	PROX M12 SN = 4 NO PNP SHORT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BJPAM12	PROX M18 SN = 8 NO PNP LONG	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BKBPAM12	PROX M18 SN = 8 NO PNP SHORT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAP01SFK	INDUCTIVE SENSOR CYLINDRICAL 24VDC PNP NO 3W FLUSH CABLE 8CM CON M12 PUR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PBP01SFK	INDUCTIVE SENSOR CYLINDRICAL 24VDC PNP NC 3W FLUSH CABLE 8CM CON M12 PUR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212BLPAL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH 10	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118BFPAL2SEM	INDUCTIVE SENSOR CYLINDR M8THD 12 24VDC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS1N18NC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PC410DSFN	INDUCTIVE SENSOR XS1 M18, L48MM, BRASS, SN5MM, 9VDC, M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218BLPAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH 10	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18AB120SFJ	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC ANA 4-20MA NOFLUSH CABLE 10CM M12 TF	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18KP340TF	INDUCTIVE SENSOR XS2 M18 - L60MM - BRASS - SN 8 MM - 12..24VDC - CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAP2	INDUCTIVE SENSOR XS6 CYLINDRICAL M18	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3 WIRES FLUSH 5M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NC 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC NPN NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC NPN NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3NAL2SAX	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC NPN NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES FLUSH WITH 1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NO 3 WIRES FLUSH 5M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PBL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES FLUSH WITH 1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NC 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC NPN NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES FLUSH WITH 1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3 WIRES FLUSH 5M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NC 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PBL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NC 3 WIRES FLUSH 5M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PCL2	INDUCTIVE SENSOR CYLIND DIA 18 PNP NONC 1224V FLUSH SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC NPN NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NC 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PCL2	INDUCTIVE SENSOR CYLIND DIA 30 PNP NONC 1224V FLUSH SN15MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18DA9AV	PROXIMITY SWITCH	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12NA349	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12NA349L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12PB349	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12PC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MMCABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18NA349L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 10 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PA349L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 10 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PB349	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PB349TF	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MMCABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PC410L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MMCABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30NA349TF	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 20 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30NC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PA349	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 20 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PA349L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 20 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PA349L2	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 20 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PA349TF	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 20 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PB349	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 20 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MMCABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS212B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4NBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NC 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1PAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512BLPAL2	INDUCTIV SENSOR CYL LONG M12 12 24VDC PNP NO 3WIR FLUSHSN 2MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512BLPAL5	INDUCTIV SENSOR CYL LONG M12 12 24VDC PNP NO 3WIR FLUSHSN 2MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1PBL2	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1MAL5	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NO 2WIR FLUSHSN 5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1MBL2	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NC 2WIR FLUSH SN5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2N12NC410	INDUCTIVE SENSOR XS2 CYLINDRICALM12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1MAL2	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NO 2WIR FLUSHSN 2MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1MAL5	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NO 2WIR FLUSHSN 2MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1MBL2	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NC 2WIR FLUSH SN2MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1PAL10	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1NAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518BLNAL2	INDUCTIV SENSOR CYL LONG M18 12 24VDC NPN NO 3WIR FLUSHSN 5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1PAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1PBL2	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518BLPAL10	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NO 3WIR FLUSHSN 5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518BLPAL2	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NO 3WIR FLUSHSN 5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518BLPBL2	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NC 3WIR FLUSH SN5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1MAL10	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NO 2WIR FLUSHSN 10MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1MAL2	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NO 2WIR FLUSHSN 10MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1NAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1MBL2	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NC 2WIR FLUSH SN10MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1NAL2	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1PAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1PBL2	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530BLPAL2	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NO 3WIR FLUSHSN 10MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530BLPAL5	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NO 3WIR FLUSHSN 10MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530BLPBL2	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NC 3WIR FLUSH SN10MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530BLPBL7	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3 W FLUSH 7M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1DAL2	INDUCTIVE SENSOR CYL LONG M08 12 24 VDC NO 2WIR FLUSHSN 2,5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1DBL2	INDUCTIVE SENSOR CYL LONG M08 12 24 VDC NC 2WIR FLUSHSN 2,5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1NBL2	INDUCTIVE SENSOR XS6 CYLINDRICALM8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAL2TF	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1PAL5	INDUCTIVE SENSOR XS6 CYLINDRICALM8 SN 2.5 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1DAL2	INDUCTIVE SENSOR CYL LONG M12 12 24 VDC NO 2WIR FLUSHSN 4MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS612B1MAL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1MAL2TT	INDUCTIVE SENSOR CYLINDRICAL M12 24 240VACDC NO 2 WIRESFLUSH SN 4 MM	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1MAL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1MBL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1NBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1NBL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PBL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PBL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1DAL2	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NO 2WIR FLUSH SN 8MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1DBL2	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NC 2WIR FLUSH SN 8MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL2TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MBL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MBL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1NAL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAP5	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRESFLUSH 5M PUR CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PBL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PBL2TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PBL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1DAL2	INDUCTIVE SENSOR CYL LONG M30 12 24 VDC NO 2WIR FLUSH SN 15MM CABLE 2	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL2TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAP6	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2 WIRESFLUSH 6M PUR CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MBL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MBL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MBP6	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NC 2 WIRESFLUSH 6M PUR CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1NAL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1NBL2	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PBL10	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PBL5	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B5PAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH CA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18PC410P	DDPI M18 SN=5MM NONC PNP FLUSH 10 38V DC 4W	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PA349SBTF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH PIGTAL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1PAP5	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRESFLUSH 5M PU	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAP2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRESFLUSH 2M PU	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508BSCBL2	INDUCTIVE SENSOR CYL SHORT M08 12 24 VDC NC 2WIR FLUSH SN 1,5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS606B3CAL2	INDUCTIVE SENSOR CYL SHORT L06 12 24 VDC NO 2WIR FLUSH SN 2,5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS606B3CBL2	INDUCTIVE SENSOR CYL SHORT L06 12 24 VDC NC 2WIR FLUSH SN 2,5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B3CAL2	INDUCTIVE SENSOR CYL SHORT M08 12 24 VDC NO 2WIR FLUSH SN 2,5MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B3DAL2	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NO 2WIR FLUSH SN 4MM CABLE 2	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B3DBL2	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NC 2WIR FLUSH SN 4MM CABLE 2	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B3DAL2	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NO 2WIR FLUSH SN 8MM CABLE 2	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B3DBL2	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NC 2WIR FLUSH SN 8MM CABLE 2	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B3DAL2	INDUCTIVE SENSOR CYL SHORT M30 12 24 VDC NO 2WIR FLUSH SN 15MM CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18MA250	INDUCTIVE SENSOR XS2 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18MB250	INDUCTIVE SENSOR XS2 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M30MA250L2	INDUCTIVE SENSOR XS2 CYLINDRICAL M30 SN 15 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M30MB250	INDUCTIVE SENSOR XS2 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS1M12AB120	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 0.2 TO 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M12AB120L1	DDPI ANAL M12 SN=2MM ANALOG 10-38VDC 4-20MA	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M12KP340L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30AB120	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 1 TO 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30KP340	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30KP340L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12NC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M12KP340	INDUCTIVE SENSOR XS2 CYLINDRICAL M12 SN 4 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M12KP340L1	INDUCTIVE SENSOR XS2 CYLINDRICAL M12 SN 4 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M12KP340L2	INDUCTIVE SENSOR XS2 CYLINDRICAL M12 SN 4 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18KP340	INDUCTIVE SENSOR XS2 CYLINDRICAL M18 SN 8 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18KP340L1TF	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M30KP340	INDUCTIVE SENSOR XS2 CYLINDRICAL M30 SN 15 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M12AB120	SENSOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL01B	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM REMOTE PG 11 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM DIN CONNECTOR 150MM	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MAL01U78	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM REMOTE 7-8 U78 CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM DIN CONNECTOR 150MM	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL2SCT	INDUCTIVE SENSOR CYLINDRICAL M18 12 48VDC PNP NO 3 WIRES FLUSH MOLEX 8 2M CABLE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL01B	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM REMOTE PG 11 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM DIN CONNECTOR 150MM	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL01U78	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM REMOTE 7-8 U78 CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MBL01B	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM REMOTE PG 11 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM DIN CONNECTOR 150MM	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PBP01M8	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NC 3 WIRES FLUSH REMOTE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18AB9D8	PROXIMITY SWITCHES ANALOG CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS106B3PAM12	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NO 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS106B3PAM8	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NO 3 WIRES FLUSH M8 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS106B3PBM8	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NC 3 WIRES FLUSH M8 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NO 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3NAM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NO 3 WIRES FLUSH M8 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3NBM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NC 3 WIRES FLUSH M8 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M08 12 24V DC PNP NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS108B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NC 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC NPN NO 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS112B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NC 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC NPN NO 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PAM12TF	ROX M18 SN = 8MM NO PNP	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS118B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NC 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC NPN NO 3 WIRES FLUSH M12 CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS130B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NC 3 WIRES FLUSH M12 CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS130B3PCM12	INDUCTIVE SENSOR CYLIND DIA 30 PNP NONC 1224V FLUSH SN15MM CONN M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12NA349D	INDUCTIVE SENSOR XS1 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N12PB349D	INDUCTIVE SENSOR XS1 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18NA349D	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PB349D	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30NA349D	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 20 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30NC410D	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PB349D	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 20 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PC410D	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MMM12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1PBM12	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518BLPAM12	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NO 3WIR FLUSHSN 5MM CONN M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS608B1DAM12	INDUCTIVE SENSOR CYL LONG M08 12 24 VDC NO 2WIR FLUSHSN 2,5MM CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518BLPBM12	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NC 3WIR FLUSH SN5MM CONN M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530BLPAM12	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NO 3WIR FLUSHSN 10MM CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512BLPAM12	INDUCTIV SENSOR CYL LONG M12 12 24VDC PNP NO 3WIR FLUSHSN 2MM CONN M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1PBM12	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1PBM12	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1NAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1DAM12	INDUCTIVE SENSOR CYL LONG M12 12 24 VDC NO 2WIR FLUSHSN 4MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1DBM12	INDUCTIVE SENSOR CYL LONG M12 12 24 VDC NC 2WIR FLUSHSN 4MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1NBM12	INDUCTIVE SENSOR XS6 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B5PBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3 WIRES NON FLUSH CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530BSCAM12	INDUCTIVE SENSOR CYL SHORT M30 12 24 VDC1-4 NO 2WIRFLUSH SN 10MM CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PA349SCTF	INDUCTIV SENSOR CYL M30 12 24V DC PNP NO3WIRES FLUSHPIGT DEUTSCH CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512BSDAM12	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NO 2WIR FLUSHSN 2MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N30PB349SCTF	INDUCTIV SENSOR CYL M30 12 24V DC PNP NC3WIRES FLUSHPIGT DEUTSCH CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518BSDAM12	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NO 2WIR FLUSHSN 5MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1DAM12	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NO 2WIR FLUSHSN 8MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1DBM12	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NC 2WIR FLUSHSN 8MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES FLUSH M12	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS618B1PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PBM12TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NC 3 WIRES FLUSH M12 CO	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1DAM12	INDUCTIVE SENSOR CYL LONG M30 12 24 VDC NO 2WIR FLUSHSN 15MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1DBM12	INDUCTIVE SENSOR CYL LONG M30 12 24 VDC NC 2WIR FLUSHSN 15MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B3DAM12	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NO 2WIR FLUSHSN 4MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B3DBM12	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NC 2WIR FLUSHSN 8MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B3DAM12	INDUCTIVE SENSOR CYL SHORT M30 12 24 VDC NO 2WIR FLUSHSN 15MM CONNEC	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B3DBM12	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NC 2WIR FLUSHSN 4MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18MA250K	INDUCTIVE SENSOR XS2 CYLINDRICALM18 SN 8 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18MA250KTF	INDUCTIVE SENSOR XS2 CYLINDRICALM18 SN 8 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18MB250K	INDUCTIVE SENSOR XS2 CYLINDRICALM18 SN 8 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M30MA250K	INDUCTIVE SENSOR XS2 CYLINDRICALM30 SN 15 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B3DAM12	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NO 2WIR FLUSHSN 8MM CONNECT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M30MB250K	INDUCTIVE SENSOR XS2 CYLINDRICALM30 SN 15 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30KP340D	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M12KP340D	INDUCTIVE SENSOR XS2 CYLINDRICALM12 SN 4 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18KP340D	INDUCTIVE SENSOR XS2 CYLINDRICALM18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M30KP340D	INDUCTIVE SENSOR XS2 CYLINDRICALM30 SN 15 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2N18NC410D	INDUCTIVE SENSOR XS2 CYLINDRICALM18 SN 8 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18PC410D	PROXIMITY SWITCH	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M12PC410D	SENSOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M18AB120SB3	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC ANALOGICAL 420MA NON FLUS	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M08NC410	INDUCTIVE SENSOR XS1 CYLINDRICALM8 SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M08PC410	INDUCTIVE SENSOR XS1 CYLINDRICALM8 SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M08PC410	INDUCTIVE SENSOR XS2 CYLINDRICALM8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1DAL2TF	XS PROXIMITY SWITCH +OPTIONS	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1DAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1NAL2	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PBL08SBV	INDUCTIVE SENSOR CYLINDM8SN1.5MM BINDER	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PBL2	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PAL2	INDUCTIV SENSOR CYL LONG M08 12 24VDC PNP NO 3WIR FLUSHSN 1,5MM CABL	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M08PC410L1	DDPI M8 SN=2,5MM NONC PNPNON FLUSH 10-38VDC 3W	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1CAL08M12	INDUCTIVE SENSOR XS5 CYLINDRICAL M8 SN 1.5 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18PAS20D	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M08PC410D	INDUCTIVE SENSOR XS2 CYLINDRICALM8 SN 2.5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS506B1NAM8	INDUCTIVE SENSOR CYL SHORT L06 12 24VDC NPN NO 3WIR FLUSHSN 1,5MM CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS506B1NBM8	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NC 3WIR FLUSHSN 1,5MM CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS506B1PAM12	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSHSN 1,5MM CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS506B1PAM8	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSHSN 1,5MM CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS506B1PBM8	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NC 3WIR FLUSH SN1,5MM CON	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PBM12	INDUCTIVE SENSOR CYLINDRICAL DIA8 12 24V DC PNP NC 3 WIRES FLUSH CONNE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PBM8	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508BLNB12	INDUCTIV SENSOR CYL LONG M08 12 24VDC NPN NC 3WIR FLUSH SN1,5MM CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508BLPAM12	INDUCTIV SENSOR CYL LONG M08 12 24VDC PNP NO 3WIR FLUSH SN1,5MM CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1DAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1NAM8	INDUCTIVE SENSOR XS5 CYLINDRICALM8 SN 1.5 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508B1PAM12	INDUCTIVE SENSOR CYLINDRICAL DIA8 12 24V DC PNP NO 3 WIRES FLUSH CONNE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS508BLPBM12	INDUCTIV SENSOR CYL LONG M08 12 24VDC PNP NC 3WIR FLUSH SN1,5MM CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18PAS40D	DETECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MAL5TT	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MMCABLE 5M TT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18MA250L1	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 5 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18MB250	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30MA250L1	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 10 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30MA250L2	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 10 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N18PA349SCL	INDUCTIVE SENSOR CYLIND M18 SN 10 MM SPECIAL CABLE WITHDEUTSCH CONNE	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1DAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1DBL2	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1DAL5	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1DBL2	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1DAL10	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM CABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1DAL5TF	INDUCTIVE SENSOR XS5 CYLINDRICAL M30 SN 10 MMCABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1DBL2	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4NBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1PAL2TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES FLUSH 2M CAB	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4MAL2SBZ	RESTRICT. WESTEX P-813766WT	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4MAL5	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRESNON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4MBL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NC 2WIRESNON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4NBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL10TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MMCABLE 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL2TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MMCABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1PAL5TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MMCABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4MAL10	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRESNON FLUSH 10M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4MBL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NC 2WIRESNON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS630B4PAL10	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH 10	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1CAL08M12	INDUCTIVE SENSOR XS5 CYLINDRICAL M18 SN 5 MM PRECABLED M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1DAL01C	INDUCTIVE SENSOR XS5 CYLINDRICAL DIA18 SN 5 MM DINCONNECTOR 150MM	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18MA250K	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 5 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M18MB250K	INDUCTIVE SENSOR XS1 CYLINDRICALM18 SN 5 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30MA250K	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 10 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M30MB250K	INDUCTIVE SENSOR XS1 CYLINDRICALM30 SN 10 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MBU20	INDUCTIVE SENSOR XS6 CYLINDRICALM18 SN 8 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4MAU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRESNON FLUSH U20	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4MBU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NC 2WIRESNON FLUSH U20	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1CAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1DAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM12 SN 2 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B1MBU20	INDUCTIVE SENSOR XS6 CYLINDRICALM12 SN 4 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NC 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS612B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1MAU20	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NO 2WIR FLUSHSN 2MM CONN M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS512B1MBU20	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NC 2WIR FLUSH SN2MM CONN M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1MAU20	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NO 2WIR FLUSHSN 10MM CONN	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1CAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1DBM12	INDUCTIVE SENSOR XS5 CYLINDRICALM18 SN 5 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1MAU20	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NO 2WIR FLUSHSN 5MM CONN M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS518B1MBU20	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NC 2WIR FLUSH SN5MM CONN M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1CAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS530B1DAM12	INDUCTIVE SENSOR XS5 CYLINDRICALM30 SN 10 MM M12 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NC 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B1MBU20	INDUCTIVE SENSOR XS6 CYLINDRICALM30 SN 15 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4MAU20	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRESNON FLUSH U20	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS630B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS618B1MBM12SBN	INDUCTIVE SENSOR CYLIND M18FLUSH 12 90V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212AANAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS212AAPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218AAMAU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRESNON FLUSH U20	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218AANAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218AAPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230AAMAU20	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRESNON FLUSH U20	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230AANAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230AAPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212SANAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS212SAPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218SANAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218SAPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230SANAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230SAPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES NON FLUSH M1	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS218SAMAU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRESNON FLUSH U20	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS230SAMAU20	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRESNON FLUSH U20	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1L04NA310	INDUCTIVE SENSOR XS1 CYLINDRICALAND 4 MM SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1L04NB310	INDUCTIVE SENSOR XS1 CYLINDRICALAND 4 MM SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1L04PB310	INDUCTIVE SENSOR XS1 CYLINDRICALAND 4 MM SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N05NA310	INDUCTIVE SENSOR XS1 CYLINDRICALM5 SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N05NB310	INDUCTIVE SENSOR XS1 CYLINDRICALM5 SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N05PA310L1	INDUCTIVE SENSOR XS1 CYLINDRICALM5 SN 1 MM CABLE 5M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N05PB310	INDUCTIVE SENSOR XS1 CYLINDRICALM5 SN 1 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M08MA230	INDUCTIVE SENSOR XS2 CYLINDRICALM8 SN 2.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M08MA230K	INDUCTIVE SENSOR XS1 CYLINDRICALM8 SN 1.5 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N05NA311S	INDUCTIVE SENSOR XS1 CYLINDRICALM5 SN 0.8 MM M8 CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1M08MB230	INDUCTIVE SENSOR XS1 CYLINDRICALM8 SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS2M08MA230K	INDUCTIVE SENSOR XS2 CYLINDRICALM8 SN 2.5 MM AND CONNECTOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1L04PA310S	INDUCTIVE SENSOR XS1 CYLINDRICAL AND 4 MM SN 1 MM M8 CONNEC TOR	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS1N05PA310S	CYL.MET.P PNP NO DC 5 24V	RoHS compliant with exemptions	III-6(c); III-7(a); III-7(c)-I
XS506B1PAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSHSN 1,5MM CAB	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS508B1PBP01SAQ	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NC 3 WIRES FLUSH REMOTE	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS1M18MA231L1	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS106B3PAL2	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NO 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS508B1PASA3	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3 WIRES FLUSH REMOTE	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS1L06PC410	INDUCTIVE SENSOR XS1 CYLINDRICALAND 6.5 MM SN 1.5 MM CABLE 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS106B3PBL2	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NC 3 WIRES FLUSH 2M CABL	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS506B1NAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NO 3WIR FLUSHSN 1,5MM CAB	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS506BLPAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSHSN 1,5MM CAB	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS506B1PBL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NC 3WIR FLUSH SN1,5MM CAB	RoHS compliant with exemptions	III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS06B1NBL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NC 3WIR FLUSH SN 1,5MM CAB	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS06B1DBL2	INDUCTIVE SENSOR CYL LONG L06 12 24 VDC NC 2WIR FLUSH SN2,5MM CABLE	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS06BLNAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NO 3WIR FLUSH SN 1,5MM CAB	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS1M18PA371L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM CABLE 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218SAMAL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230SAMAL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230SAMAL5	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218AAMAL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230AAMAL10	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230AAMAL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218SAMAL10	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 10M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218SAMAL5	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS212AAPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218SAPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS212AANAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS212SAPAL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH 10	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS212SAPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230SAPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218AAPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS212AAPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218SANAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218AAPAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES NON FLUSH 10	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218SAPAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS212SAPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3 WIRES NON FLUSH 5M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS212SANAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230SAPAT2SEY	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V SN 2M RAILWAYCABLE SPECIAL CABLING	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218AANAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230AAPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS218SAPAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3 WIRES NON FLUSH 10	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230AANAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230SANAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3 WIRES NON FLUSH 2M	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS230SAPAT07SEY	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V SN 72CM RAILWAYCABLE SPECIAL CABLING	RoHS compliant with exemptions	III-7(a); III-7(c)-I
XS1M12PB371L1	PROXIMITY DETECTOR	RoHS compliant with exemptions	III-7(a); III-7(c)-I

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France