

Date: 19/05/2025

Object: Telemecanique_Sensors_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID
XCSLF3737312	METAL SAFETY SWITCH W MAGN WITHOUT U4C 20 M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2525312	METAL SAFETY SWITCH W MAGN WITHOUT U2C 20 M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2727312	METAL SAFETY SWITCH W MAGN WITHOUT U4C M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3737313	METAL SAFETY SWITCH W MAGN WITHOUT U4C 20 12NPT 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3737412	METAL SAF SWITCH W MAGN WITH NO U 4C 20 WITH BT AND TUR TO REL M20 24	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3737512	METAL SAFETY SWITCH W MAGN WITH U 4C 20 M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2525342	METAL SAFETY SWITCH W MAGN WITHOUT U2C 20 M20 220 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2725312	METAL SAFETY SWITCH W MAGN WITHOUT U3C 10 M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2725342	METAL SAFETY SWITCH W MAGN WITHOUT U3C 10 M20 220 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2727313	METAL SAFETY SWITCH W MAGN WITHOUT U4C 12NPT 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF272731M2	METAL SAFETY SWITCH W MAGN WITHOUT U4C M23 16 P 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2727333	METAL SAFETY SWITCH W MAGN WITHOUT U4C 12NPT 110 120V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF2727342	METAL SAFETY SWITCH W MAGN WITHOUT U4C M20 220 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535312	METAL SAFETY SWITCH W MAGN WITHOUT U2C 40 M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535313	METAL SAFETY SWITCH W MAGN WITHOUT U2C 40 12NPT 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF353531M3	METAL SAFETY SWITCH W MAGN WITHOUT U2C 40 M23 19 P 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535332	METAL SAFETY SWITCH W MAGN WITHOUT U2C 40 M20 110 120V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535333	METAL SAFETY SWITCH W MAGN WITHOUT U2C 40 12NPT 110 120 V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535342	METAL SAFETY SWITCH W MAGN WITHOUT U2C 40 M20 120 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535343	METAL SAFETY SWITCH W MAGN WITHOUT U2C 40 12NPT 120 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535412	METAL SAF SWITCH W MAGN WITH NO U 2C 40 WITH BT TUR TO REL M20 24V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF353541M3	METAL SAF SWITCH W MAGN WITH NO U 2C 40 WITH BT TUR TO REL M23 19P 24	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535512	METAL SAFETY SWITCH W MAGN WITH U 2C 40 M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535513	METAL SAFETY SWITCH W MAGN WITH U 2C 40 12NPT 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535533	METAL SAFETY SWITCH W MAGN WITH U 2C 40 12NPT 110 120V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535543	METAL SAFETY SWITCH W MAGN WITH U 2C 40 12NPT 220 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3535612	METAL SAF SWITCH W MAGN WITH NO U 2C 40 WITH BT AND KEY REL M20 24V A	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF373731M3	METAL SAFETY SWITCH W MAGN WITHOUT U4C 20 M23 19 P 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3737332	METAL SAFETY SWITCH W MAGN WITHOUT U4C 20 M20 110 120V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3737333	METAL SAFETY SWITCH W MAGN WITHOUT U4C 20 12NPT 110 120V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3737342	METAL SAFETY SWITCH W MAGN WITHOUT U4C 20 M20 220 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b
XCSLF3737343	METAL SAFETY SWITCH W MAGN WITHOUT U4C 20 12NPT 220 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XCSLF3737413	METAL SAF SWITCH W MAGN WITH NO U 4C 2O WITH BT AND TUR TO REL 12NPT	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF373741M3	METAL SAF SWITCH W MAGN WITH NO U 4C 2O WITH BT AND TUR TO REL M23 19	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF3737513	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 2O 12NPT 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF373751M3	METAL SAFETY SWITCH W MAGN WITH U 4C 2O M23 19 P 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF3737533	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 2O 12NPT 110 120V AC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF3737543	METAL SAFETY SWITCH W MAGN WITHOUT U 4C 2O 12NPT 110 220 240V AC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF3737612	METAL SAF SWITCH W MAGN WITH NO U 4C 2O WITH BT AND KEY REL M20 24V A	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF3837512	METAL SAFETY SWITCH W MAGN WITH U 5C 1O M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF383751M3	METAL SAFETY SWITCH W MAGN WITH U 5C 1O M23 19 P 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF3838312	METAL SAFETY SWITCH W MAGN WITHOUT U 6C M20 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF3838313	METAL SAFETY SWITCH W MAGN WITHOUT U 6C 12NPT 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b	
XCSLF383831M3	METAL SAFETY SWITCH W MAGN WITHOUT U 6C M23 19 P 24V ACDC	4902cbd2-13d9-4b09-8689-4c98237d554b	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None

Commercial References	Description	SCIP ID	
XCSL764B2	Safety switch, Telemecanique Safety switches XCS, interlock limit 300 VAC 10 as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL564B1	Interlock switch 300 VAC 10as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL566B1	Interlock switch 300 VAC 10as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL584B1	Safety switch, Telemecanique Safety switches XCS, Limit key operated turret head, NC	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL722B3	Interlock switch 300 VAC 10as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL764B1	Safety switch, Telemecanique Safety switches XCS, interlock XCSL 300 VAC 10 A	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL761B3	Interlock switch 300 VAC 10as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL766B1	Interlock switch 300 VAC 10as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL768B3	Interlock switch 300 VAC 10as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL784B1	Safety switch, Telemecanique Safety switches XCS, XCSL, AC/DC, 50/60 Hz, key operated turret head	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL766B2	Safety switch, Telemecanique Safety switches XCS, XCSL, AC/DC, 50/60 Hz, key operated turret head	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
XCSL766B3	Interlock switch 300 VAC 10as XCSL	d49c5751-2f78-45fd-8bfc-e0c3c8052c68	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	None
Decamethylcyclopentasiloxane(D5)	541-02-6	208-764-9	None
Dodecamethylcyclohexasiloxane(D6)	540-97-6	208-762-8	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France