

Date: 19/05/2025

Object: Telemecanique_Sensors_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID
XS618B1PAM12	Inductive sensor XS6 cylindrical M18 Sn 8mm M12 connec to r	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1PAL2	Inductive sensor XS5 cylindrical M12 Sn 2mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1PAL2	Inductive sensor XS5 cylindrical M18 Sn 5mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1PAL2	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1NAL2	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAL2	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MAL2	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MBL2	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1NAL2	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAL10	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAL2	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAL5	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PBL2	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL2	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MBL2	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1NAL2	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL2	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL5	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL2	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL5	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MBL2	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1NAL2	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL10	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL2	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PBL2	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PAM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3WIRES FLUSH M8 CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BJPAM12	PROX M12 SN = 4 NO PNP long	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS112BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12PA349D	Inductive sensor XS1 cylindrical M12 Sn 4mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1PAM12	Inductive sensor XS5 cylindrical M12 Sn 2 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1PAM12	Inductive sensor XS5 cylindrical M18 Sn 5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1NAM12	Inductive sensor XS5 cylindrical M30 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1PAM12	Inductive sensor XS5 cylindrical M30 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAM12	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1NAM12	Inductive sensor XS6 cylindrical M12 Sn 4mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAM12	Inductive sensor XS6 cylindrical M12 Sn 4mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PBM12	Inductive sensor XS6 cylindrical M12 Sn 4mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1NAM12	Inductive sensor XS6 cylindrical M18 Sn 8mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PBM12	Inductive sensor XS6 cylindrical M18 Sn 8mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1NAM12	Inductive sensor XS6 cylindrical M30 Sn 15 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAM12	Inductive sensor XS6 cylindrical M30 Sn 15 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PBM12	Inductive sensor XS6 cylindrical M30 Sn 15 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PAL2	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PAM8	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm M8 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1DAL2	Inductive sensor XS5 cylindrical M12 Sn 2mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1DAL2	Inductive sensor XS5 cylindrical M18 Sn 5mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL10EX	IPS EX M18 SN=8MM NO NOY 10-58VDC PNP 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1DAM12	Inductive sensor XS5 cylindrical M18 Sn 5mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MAU20	Inductive sensor XS6 cylindrical M12 Sn 4mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAU20	Inductive sensor XS6 cylindrical M18 Sn 8mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAU20	Inductive sensor XS6 cylindrical M30 Sn 15 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M30MA250	Inductive sensor XS2 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PCL2	INDUCTIVE SENSOR CYLIND DIA 12 PNP NONC 1224V FLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PA349	Inductive sensor XS1 cylindrical M18 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1MAL2	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NO 2WIR FLUSH SN 5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL5	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL10	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL10	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18AB120	Inductive sensor XS1 cylindrical M18 Sn 0.5 to 5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18KP340	Inductive sensor XS1 cylindrical M18 Sn 5mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PCM12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NONC 1224V FLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PCM12	INDUCTIVE SENSOR CYLIND DIA 18 PNP NONC 1224V FLUSH SN 8MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12PC410D	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MM M12 CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PA349D	Inductive sensor XS1 cylindrical M18 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PC410D	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM M12 CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PA349D	Inductive sensor XS1 cylindrical M30 Sn 20 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PC410DSCV	INDUCTIVE SENSOR CYLIND PALFINGER DIA 18 PNP NONC 1224V FLUSH SN 5MM	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M12KP340D	Inductive sensor XS1 cylindrical M12 Sn 2mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18KP340D	Inductive sensor XS1 cylindrical M18 Sn 5mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M08PC410D	Inductive sensor XS1 cylindrical M8 Sn 1.5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18MA250	Inductive sensor XS1 cylindrical M18 Sn 5mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30MA250	Inductive sensor XS1 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS1M30MB250	Inductive sensor XS1 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4MAL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4MAL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS1L04PA310	Inductive sensor XS1 cylindrical and 4 mm Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N05PA310	Inductive sensor XS1 cylindrical M5 Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAL2C	Inductive sensor XS2 M12 - l44mm - brass - Sn4mm - 12..24VDC - cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLNAL2C	Inductive sensor XS2 M18 - l53mm - brass - Sn8mm - 12..24VDC - cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PBL2	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1CASAS	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM AND CONNEC TO R	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1PAP5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3 WIRES FLUSH 5M CABLE PUR	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M12KP340	Inductive sensor XS1 cylindrical M12 Sn 2 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30AB1205B4	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC ANALOGICAL 4 20MA FLUSH 5M - 40°C	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PBM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NC 3WIRES FLUSH M8 CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1NAM12	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1DAL2	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHNAL2	INDUCTIVE SENSOR CYLIND DIA 12 NPN NO 1224V FLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHPAL2	INDUCTIVE SENSOR CYLIND DIA 12 PNP NO 1224V FLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHPAL5	INDUCTIVE SENSOR CYLIND DIA 12 PNP NO 1224V FLUSH SN 4MM CABLE 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLPAL2SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHNAL2	INDUCTIVE SENSOR CYLIND DIA 08 NPN NO 1224V FLUSH SN 2MM5 CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHPAL2	INDUCTIVE SENSOR CYLIND DIA 08 PNP NO 1224V FLUSH SN 2MM5 CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHPBL2	INDUCTIVE SENSOR CYLIND DIA 08 PNP NC 1224V FLUSH SN 2MM5 CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES FLUSH 5M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PAL2SF4	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRE FLUSH 2M CABLE BOX 80PCS	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PAP02SE8	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PBL2SF4	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRE FLUSH 2M CABLE BOX 80PCS	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BFPAL2	INDUCTIVE SENSOR CYLINDR M8 THD 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHNAL5	INDUCTIVE SENSOR CYLIND DIA 12 NPN NO 12 5M CABLE LENGTH	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHNBL2	INDUCTIVE SENSOR CYLIND DIA 12 NPN NC 1224V FLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHPBL2	INDUCTIVE SENSOR CYLIND DIA 12 PNP NC 1224V FLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BJPAL2	PROX M12 SN = 4 NO PNP long	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BJPAL4	INDUCTIVE SENSOR CYLINDRICAL M12 12..24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BKNAL2	Proxi. Sensor M12 Flush NPN NO 2m cable	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS112BLNAL2SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLNBL2SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLNAL2JD	Proxi. Sybil M12 Flush NPN NO L2	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES FLUSH 5M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAL2SAX	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAL2SF4	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRE FLUSH 2M CABLE BOX 80PCS	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BFPAL2	INDUCTIVE SENSOR CYLINDR M8 THD 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BFPAL3SEM	INDUCTIVE SENSOR CYLINDR 24VDC PNP NO	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BFPAL5	INDUCTIVE SENSOR CYLINDR M18 THD 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHNAL2	INDUCTIVE SENSOR CYLIND DIA 18 NPN NO 1224V FLUSH SN 8MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHNBL2	INDUCTIVE SENSOR CYLIND DIA 18 NPN NC 1224V FLUSH SN 8MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHPAL2	INDUCTIVE SENSOR CYLIND DIA 18 PNP NO 1224V FLUSH SN 8MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHPAL5	INDUCTIVE SENSOR CYLIND DIA 18 PNP NO 1224V FLUSH SN 8MM CABLE 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHPBL2	INDUCTIVE SENSOR CYLIND DIA 18 PNP NC 1224V FLUSH SN 8MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLPAL2JD	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLNAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES FLUSH 5M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLNBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NC 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLNAL2JD	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES FLUSH 5M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PAL2TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES FLUSH WITH 2	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NO 3WIRES FLUSH 5M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHNAL2	INDUCTIVE SENSOR CYLIND DIA 30 NPN NO 1224V FLUSH SN 15MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHNBL2	INDUCTIVE SENSOR CYLIND DIA 30 NPN NC 1224V FLUSH SN 15MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHPAL2	INDUCTIVE SENSOR CYLIND DIA 30 PNP NO 1224V FLUSH SN 15MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHPAL5	INDUCTIVE SENSOR CYLIND DIA 30 PNP NO 1224V FLUSH SN 15MM CABLE 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHPBL2	INDUCTIVE SENSOR CYLIND DIA 30 PNP NC 1224V FLUSH SN 15MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES FLUSH 5M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLPAL2JD	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30AB120EX	IPS EX M30 SN=10MM 4-20MA NOY 10- 38VDC 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12PA349	Inductive sensor XS1 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS208BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC NPN NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS208BLPAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS208BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAL2JD	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAL2SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAL7	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES NON-FLUSH 7M	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNBL2SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAL2JD	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAL2SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAL3	INDUCTIVE SENSOR CYLINDRICAL M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPALSD9	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPBL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS218B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLNAL2JD	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLNBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLPAL2JD	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLNAL2C	Inductive sensor XS2 M30 - L57mm - brass - Sn15mm - 12..24VDC - cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLPAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLPBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1NAL2	Inductive sensor XS5 cylindrical M12 Sn 2 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1NAL2	Inductive sensor XS5 cylindrical M18 Sn 5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAL09SF1	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 3W FLUSH 0.9M CABLE M12 8PIN	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAL2SF2	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 3W FLUSH 1.5M CABLE M12 8PIN	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAL2SF3	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 50MM THREAD 3W FLUSH 2M CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PBL2	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PCL2	INDUCTIVE SENSOR CYLIND DIA 8 PNP NONC 1224V FLUSH SN 2MM5 CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4NBL2	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V NFLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4PAL2	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V NFLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1NAL5	Inductive sensor XS6 cylindrical M12 Sn 4 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAL2EX	IPS EX M8 SN=4MM NO NOY 10-58VDC PNP 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PBL2SAX	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL7	INDUCTIVE SENSOR XS6 CYLINDRICAL M18	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MBL2TF	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1NBL2	Inductive sensor XS6 cylindrical M18 Sn 8 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL2EX	IPS EX M18 SN=8MM NO NOY 10-58VDC PNP 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL3SDL	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL6SDL	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL2EX	IPS EX M30 SN=15MM NO NOY 10-58VDC PNP 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL5	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS630B5NAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PBV2TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3WIRES FLUSH TF 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PC410L1TF	Inductive sensor XS1 M18 - L37mm - brass - Sn5mm - 12..24VDC - cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PC410L1TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO NC 4W CABLE 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B3DAL3	PROXIMITY SENSOR 18MM SN 8MM 2W DC NO 3M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M12AB120EX	IPS EX M12 SN=2MM 4-20MA NOY 10-38VDC 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18AB120EX	IPS EX M18 SN=5MM 4-20MA NOY 10-38VDC 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PCL02M12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NO NC 12 24V FLUSH SN 4MM CAB 15CM M12 CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PCL2SF5	INDUCTIVE SENSOR CYLIND DIA 12 PNP NONC 1224V FLUSH SN 4MM CAB 160CM DEUTSCH CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAL03M12	INDUCTIV SENSOR CYLINDRICAL M18 12 24VDC	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1NALSDQ	INDUCTIVE SENSOR XS6 CYLINDRICAL M8 SN 2.5 MM PIGTAIL 15CM AMP CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B2PAL01M12	Inductive sensor XS6 cylindrical M12 Sn 5mm precabled M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B2PAL01M12	Inductive sensor XS6 cylindrical M18 Sn 9mm precabled M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B2PBL01M12	Inductive sensor XS6 cylindrical M18 Sn 9mm precabled M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B2PAL01M12	Inductive sensor XS6 cylindrical M30 Sn 18 mm precabled M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30AB120D	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4PAP03SE2	INDUCTIVE SENSOR CYLINDRIC M12 12 24VDC PNP NO 3W NON-FLUSH 0,3M PUR DEUTSCH CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHNAM8	INDUCTIVE SENSOR CYLIND DIA 08 NPN NO 1224V FLUSH SN 2MM5 CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHPAM12	INDUCTIVE SENSOR CYLIND DIA 08 PNP NO 1224V FLUSH SN 2MM5 CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHPAM8	INDUCTIVE SENSOR CYLIND DIA 08 PNP NO 1224V FLUSH SN 2MM5 CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHPBM12	INDUCTIVE SENSOR CYLIND DIA 08 PNP NC 1224V FLUSH SN 2MM5 CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BHPBM8	INDUCTIVE SENSOR CYLIND DIA 08 PNP NC 1224V FLUSH SN 2MM5 CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC NPN NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BLPAM8	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES FLUSH M8 CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PCM12SCS	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHNAM12	INDUCTIVE SENSOR CYLIND DIA 12 NPN NO 1224V FLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHNBM12	INDUCTIVE SENSOR CYLIND DIA 12 NPN NC 1224V FLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHPAM12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NO 1224V FLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BHPBM12	INDUCTIVE SENSOR CYLIND DIA 12 PNP NC 1224V FLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLNBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NC 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLPAM12SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BLPBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PCM12SCS	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PCM12SEZ	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V PNP NONC FLUSH SN8MM M12 CON LONG THREAD	3bc2f5da-1620-4d53-878c-410a857f3212

TMS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS118B3PCM12TF	Inductive sensor M18 - brass - short body - Sn8mm - 12-24VDC - PNP - NO+NC - connector M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHNAM12	INDUCTIVE SENSOR CYLIND DIA 18 NPN NO 1224V FLUSH SN 8MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHNBM12	INDUCTIVE SENSOR CYLIND DIA 18 NPN NC 1224V FLUSH SN 8MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHPAM12	INDUCTIVE SENSOR CYLIND DIA 18 PNP NO 1224V FLUSH SN 8MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BHPBM12	INDUCTIVE SENSOR CYLIND DIA 18 PNP NC 1224V FLUSH SN 8MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLPAM12SUL	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BLPBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PCM12SCS	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHNAM12	INDUCTIVE SENSOR CYLIND DIA 30 NPN NO 1224V FLUSH SN 15MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHNBM12	INDUCTIVE SENSOR CYLIND DIA 30 NPN NC 1224V FLUSH SN 15MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHPAM12	INDUCTIVE SENSOR CYLIND DIA 30 PNP NO 1224V FLUSH SN 15MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BHPBM12	INDUCTIVE SENSOR CYLIND DIA 30 PNP NC 1224V FLUSH SN 15MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS130BLPBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS208BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES NON-FLUSH M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS208BLPAM8	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES NON-FLUSH M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAM12SE6	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLNAM12SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAM12C	Inductive sensor XS2 M12 - L55mm - brass - Sn4mm - 12..24VDC - M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAM12SE6	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAM12SUL	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS218B4PAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1NAM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V FLUSH SN 2MM5 CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLNAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLNAM12SE6	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1NAM12	Inductive sensor XS5 cylindrical M18 Sn 5mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLPAM12C	Inductive sensor XS2 M30 - L68mm - brass - Sn15mm - 12..24VDC - M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS230BLPAM12SE6	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1NBM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V FLUSH SN 2MM5 CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V FLUSH SN 2MM5 CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PBM12	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PBM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V FLUSH SN 2MM5 CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS608B1PCM12	INDUCTIVE SENSOR CYLIND DIA 8 PNP NONC 1224V FLUSH SN 2MM5 CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAM12SB1	INDUCTIVE SENSOR CYLINDRICAL 12 48VDC	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAM12TF	INDUCTIVE SENSOR COLD XS6 CYLINDRICAL M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B5PAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1NBM12	Inductive sensor XS6 cylindrical M18 Sn 8mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M12AB120D	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18AB120D	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PAL1	INDUCTIVE SENSOR CYLINDRICAL M08 12 24V DC PNP NO 3 WIRES SN 1MM FLUSH 1M CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PAM12SFH	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES FLUSH M12 SN1450 TF	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4NAM12	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V NFLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4NAM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V NFLUSH SN 4MM CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4NBM12	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V NFLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4NBM8	INDUCTIVE SENSOR CYLIND DIA 8 NPN NC 1224V NFLUSH SN 4MM CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4PAM12	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V NFLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4PAM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NO 1224V NFLUSH SN 4MM CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4PBM12	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V NFLUSH SN 4MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4PBM8	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V NFLUSH SN 4MM CONN M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4PBL2	INDUCTIVE SENSOR CYLIND DIA 8 PNP NC 1224V NFLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B4NAL2	INDUCTIVE SENSOR CYLIND DIA 8 NPN NO 1224V NFLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1DAL2	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAL10EX	IPS EX M12 SN=4MM NO NOY 10-58VDC PNP 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PBL10EX	IPS EX M12 SN=4MM NC NOY 10-58VDC PNP 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PBL10EX	IPS EX M18 SN=8MM NC NOY 10-58VDC PNP 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4PAL5SF7	INDUCTIVE SENSOR CYLINDRICAL M18 12 48VDC PNP NO 3WIRES NON-FLUSH 5M CABLE IP68	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL10EX	IPS EX M30 SN=15MM NO NOY 10-58VDC PNP 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PBL10EX	IPS EX M30 SN=15MM NC NOY 10-58VDC PNP 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4MAL2SF6	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2W NON-FLUSH 2M SPECIF PVC CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAV10TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES FLUSH TF 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAV2TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES FLUSH TF 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18MA250A	Inductive sensor XS1 cylindrical M18 Sn 5mm 7- and 8-inch connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1DAM12TF	Inductive sensor M12 - brass - long body - Sn2mm - 12-48VDC - NO - connector M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4PAP03SE2	INDUCTIVE SENSOR CYLINDRIC M12 12 48VDC	3bc2f5da-1620-4d53-878c-410a857f3212
XS1REQ3767	XS518BLNAL2 W/AMP 3 PIN CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BJNAL2	PROX M12 SN = 4 NO NPN long	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BJNAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BKNBL2	Proxi. Sensor M12 Flush NPN NC 2m cable	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BKPAL2	PROX M12 SN = 4 NO PNP short	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BJNAL2	PROX M18 SN = 8 NO NPN long	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BJPAL2	PROX M18 SN = 8 NO PNP long	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BKPAL2	PROX M18 SN = 8 NO PNP short	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL2SBM	PROXIMITY SENSOR 18MM DC PNP	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL2SBM	PROXIMITY SENSOR 30MM DC PNP	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BKNAME12	PROXI. SENSOR M12 FLUSH NPN NO CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS112BKNBM12	PROXI. SENSOR M12 FLUSH NPN NC CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS112BKPAM12	PROX M12 SN = 4 NO PNP short	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BJPAM12	PROX M18 SN = 8 NO PNP long	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BKPM12	PROX M18 SN = 8 NO PNP short	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PAP01SFK	INDUCTIVE SENSOR CYLINDRICAL 24VDC PNP NO 3W FLUSH CABLE 8CM CON M12 PUR	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PBP01SFK	INDUCTIVE SENSOR CYLINDRICAL 24VDC PNP NC 3W FLUSH CABLE 8CM CON M12 PUR	3bc2f5da-1620-4d53-878c-410a857f3212
XS212BLPAL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH 10	3bc2f5da-1620-4d53-878c-410a857f3212
XS118BFPAL2SEM	INDUCTIVE SENSOR CYLINDR M8 THD 12 24VDC	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18NC410	Inductive sensor XS1 cylindrical M18 Sn 5mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PC410DSFN	Inductive sensor XS1 M18, l48mm, brass, Sn5mm, 9VDC, M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS218BLPAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON-FLUSH 10	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18AB120SFJ	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC ANA 4-20MA NO FLUSH CABLE 10CM M12 TF	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18KP340TF	Inductive sensor XS2 M18 - L60mm - brass - Sn8mm - 12..24VDC - cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAP2	INDUCTIVE SENSOR XS6 CYLINDRICAL M18	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NO 3WIRES FLUSH 5M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NC 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS108BLNAL2	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC NPN NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC NPN NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3NAL2SAX	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC NPN NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PAL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES FLUSH WITH 1	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NO 3WIRES FLUSH 5M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PBL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRES FLUSH WITH 1	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NC 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC NPN NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES FLUSH WITH 1	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NO 3WIRES FLUSH 5M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NC 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PBL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NC 3WIRES FLUSH 5M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PCL2	INDUCTIVE SENSOR CYLIND DIA 18 PNP NONC 1224V FLUSH SN 8MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3NAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC NPN NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NC 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PCL2	INDUCTIVE SENSOR CYLIND DIA 30 PNP NONC 1224V FLUSH SN 15MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18DA9AV	PROXIMITY SWITCH	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12NA349	Inductive sensor XS1 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12NA349L1	Inductive sensor XS1 cylindrical M12 Sn 4mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12PB349	Inductive sensor XS1 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12PC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M12 SN 2 MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18NA349L1	Inductive sensor XS1 cylindrical M18 Sn 10 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS1N18PA349L1	Inductive sensor XS1 cylindrical M18 Sn 10 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PB349	Inductive sensor XS1 cylindrical M18 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PB349TF	Inductive sensor XS1 cylindrical M18 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PC410L1	INDUCTIVE SENSOR XS1 CYLINDRICAL M18 SN 5 MM CABLE 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30NA349TF	Inductive sensor XS1 cylindrical M30 Sn 20 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30NC410	Inductive sensor XS1 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PA349	Inductive sensor XS1 cylindrical M30 Sn 20 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PA349L1	Inductive sensor XS1 cylindrical M30 Sn 20 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PA349L2	Inductive sensor XS1 cylindrical M30 Sn 20 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PA349TF	Inductive sensor XS1 cylindrical M30 Sn 20 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PB349	Inductive sensor XS1 cylindrical M30 Sn 20 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PC410	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4NBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NC 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS218B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS218B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1PAL5	Inductive sensor XS5 cylindrical M12 Sn 2mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS512BLPAL2	INDUCTIV SENSOR CYL LONG M12 12 24VDC PNP NO 3WIR FLUSH SN 2MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS512BLPAL5	INDUCTIV SENSOR CYL LONG M12 12 24VDC PNP NO 3WIR FLUSH SN 2MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1PBL2	Inductive sensor XS5 cylindrical M12 Sn 2mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1MAL5	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NO 2WIR FLUSH SN 5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1MBL2	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NC 2WIR FLUSH SN 5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS2N12NC410	Inductive sensor XS2 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1MAL2	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NO 2WIR FLUSH SN 2MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1MAL5	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NO 2WIR FLUSH SN 2MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1MBL2	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NC 2WIR FLUSH SN 2MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1PAL10	Inductive sensor XS5 cylindrical M18 Sn 5mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1NAL5	Inductive sensor XS5 cylindrical M18 Sn 5mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518BLNAL2	INDUCTIV SENSOR CYL LONG M18 12 24VDC NPN NO 3WIR FLUSH SN 5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1PAL5	Inductive sensor XS5 cylindrical M18 Sn 5mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1PBL2	Inductive sensor XS5 cylindrical M18 Sn 5mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518BLPAL10	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NO 3WIR FLUSH SN 5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS518BLPAL2	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NO 3WIR FLUSH SN 5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS518BLPBL2	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NC 3WIR FLUSH SN 5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1MAL10	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NO 2WIR FLUSH SN 10MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1MAL2	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NO 2WIR FLUSH SN 10MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1NAL5	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1MBL2	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NC 2WIR FLUSH SN 10MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1NAL2	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1PAL5	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1PBL2	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS530BLPAL2	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NO 3WIR FLUSH SN 10MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS530BLPAL5	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NO 3WIR FLUSH SN 10MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS530BLPBL2	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NC 3WIR FLUSH SN 10MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS530BLPBL7	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NC 3W FLUSH 7M CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1DAL2	INDUCTIVE SENSOR CYL LONG M08 12 24 VDC NO 2WIR FLUSH SN 2,5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1DBL2	INDUCTIVE SENSOR CYL LONG M08 12 24 VDC NC 2WIR FLUSH SN 2,5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1NBL2	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAL2TF	INDUCTIVE SENSOR CYLINDRICAL M8 12 48V DC PNP NO 3WIRES FLUSH 2M CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1PAL5	Inductive sensor XS6 cylindrical M8 Sn 2.5 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1DAL2	INDUCTIVE SENSOR CYL LONG M12 12 24 VDC NO 2WIR FLUSH SN 4MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MAL10	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MAL2TT	INDUCTIVE SENSOR CYLINDRICAL M12 24 240VACDC NO 2 WIRES FLUSH SN 4 MM	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MAL5	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MBL5	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1NBL2	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1NBL5	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PBL10	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PBL5	Inductive sensor XS6 cylindrical M12 Sn 4mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1DAL2	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NO 2WIR FLUSH SN 8MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1DBL2	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NC 2WIR FLUSH SN 8MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL10	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL2TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M18 SN 8 MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MBL10	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MBL5	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1NAL5	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAP5	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES FLUSH 5M PUR CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PBL10	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PBL2TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PBL5	Inductive sensor XS6 cylindrical M18 Sn 8mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1DAL2	INDUCTIVE SENSOR CYL LONG M30 12 24 VDC NO 2WIR FLUSH SN 15MM CABLE 2	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL2TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAP6	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2 WIRES FLUSH 6M PUR CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MBL10	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MBL5	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MBP6	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NC 2 WIRES FLUSH 6M PUR CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1NAL10	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1NBL2	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PBL10	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PBL5	Inductive sensor XS6 cylindrical M30 Sn 15 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B5PAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON-FLUSH CA	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18PC410P	DDPI M18 SN=5MM NONC PNP FLUSH 10 38V DC 4W	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PA349SBTF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES FLUSH PIGTAI	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1PAP5	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3 WIRES FLUSH 5M PU	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAP2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3 WIRES FLUSH 2M PU	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS508BSCBL2	INDUCTIVE SENSOR CYL SHORT M08 12 24 VDC NC 2WIR FLUSH SN 1,5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS606B3CAL2	INDUCTIVE SENSOR CYL SHORT L06 12 24 VDC NO 2WIR FLUSH SN 2,5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS606B3CBL2	INDUCTIVE SENSOR CYL SHORT L06 12 24 VDC NC 2WIR FLUSH SN 2,5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B3CAL2	INDUCTIVE SENSOR CYL SHORT M08 12 24 VDC NO 2WIR FLUSH SN 2,5MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B3DAL2	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NO 2WIR FLUSH SN 4MM CABLE 2	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B3DBL2	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NC 2WIR FLUSH SN 4MM CABLE 2	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B3DAL2	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NO 2WIR FLUSH SN 8MM CABLE 2	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B3DBL2	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NC 2WIR FLUSH SN 8MM CABLE 2	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B3DAL2	INDUCTIVE SENSOR CYL SHORT M30 12 24 VDC NO 2WIR FLUSH SN 15MM CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18MA250	Inductive sensor XS2 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18MB250	Inductive sensor XS2 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M30MA250L2	Inductive sensor XS2 cylindrical M30 Sn 15 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M30MB250	Inductive sensor XS2 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M12AB120	Inductive sensor XS1 cylindrical M12 Sn 0.2 to 2 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M12AB120L1	DDPI ANAL M12 SN=2MM ANALOG 10- 38VDC 4-20MA	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M12KP340L1	Inductive sensor XS1 cylindrical M12 Sn 2mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30AB120	Inductive sensor XS1 cylindrical M30 Sn 1 to 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30KP340	Inductive sensor XS1 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30KP340L1	Inductive sensor XS1 cylindrical M30 Sn 10 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12NC410	Inductive sensor XS1 cylindrical M12 Sn 2mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M12KP340	Inductive sensor XS2 cylindrical M12 Sn 4mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M12KP340L1	Inductive sensor XS2 cylindrical M12 Sn 4mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M12KP340L2	Inductive sensor XS2 cylindrical M12 Sn 4mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18KP340	Inductive sensor XS2 cylindrical M18 Sn 8mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18KP340L1TF	PROXIMITY DETECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M30KP340	Inductive sensor XS2 cylindrical M30 Sn 15 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M12AB120	Inductive proximity sensors XS, inductive sensor XS2 M12, L50mm, brass, Sn4mm, DC, cable 2 m	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL01B	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM REMOTE PG 11 CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM DIN CONNECTOR 150MM	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MAL01U78	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM REMOTE 7-8 U78 CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA18 SN 8 MM DIN CONNECTOR 150MM	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL2SCT	INDUCTIVE SENSOR CYLINDRICAL M18 12 48VDC PNP NO 3WIRES FLUSH MOLEX 8 2M CABLE	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL01B	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM REMOTE PG 11 CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM DIN CONNECTOR 150MM	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL01U78	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN15 MM REMOTE 7-8 U78 CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MBL01B	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM REMOTE PG 11 CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL01C	INDUCTIVE SENSOR XS6 CYLINDRICAL DIA30 SN 15 MM DIN CONNECTOR 150MM	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PBP01M8	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NC 3WIRES FLUSH REMOTE	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18AB9D8	PROXIMITY SWITCHES ANALOG CONNECTOR	3bc2f5da-1620-4d53-878c-410a857f3212
XS106B3PAM12	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS106B3PAM8	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NO 3WIRES FLUSH M8 CONN	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS106B3PBM8	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NC 3WIRES FLUSH M8 CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3NAM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NO 3WIRES FLUSH M8 CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3NBM8	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC NPN NC 3WIRES FLUSH M8 CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M08 12 24V DC PNP NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS108B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M08 12 24VDC PNP NC 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC NPN NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS112B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24VDC PNP NC 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC NPN NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PAM12TF	ROX M18 SN = 8MM NO PNP	3bc2f5da-1620-4d53-878c-410a857f3212
XS118B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24VDC PNP NC 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3NAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC NPN NO 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24VDC PNP NC 3WIRES FLUSH M12 CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS130B3PCM12	INDUCTIVE SENSOR CYLIND DIA 30 PNP NONC 1224V FLUSH SN 15MM CONN M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12NA349D	Inductive sensor XS1 cylindrical M12 Sn 4mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N12PB349D	Inductive sensor XS1 cylindrical M12 Sn 4mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18NA349D	Inductive sensor XS1 cylindrical M18 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PB349D	Inductive sensor XS1 cylindrical M18 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30NA349D	Inductive sensor XS1 cylindrical M30 Sn 20 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30NC410D	Inductive sensor XS1 cylindrical M30 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PB349D	Inductive sensor XS1 cylindrical M30 Sn 20 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PC410D	INDUCTIVE SENSOR XS1 CYLINDRICAL M30 SN 10 MM M12 CONN TO R	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS212B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NC 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS218B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS218B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NC 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1PBM12	Inductive sensor XS5 cylindrical M12 Sn 2mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS518BLPAM12	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NO 3WIR FLUSH SN 5MM CONN M	3bc2f5da-1620-4d53-878c-410a857f3212
XS608B1DAM12	INDUCTIVE SENSOR CYL LONG M08 12 24 VDC NO 2WIR FLUSH SN 2,5MM CONN EC	3bc2f5da-1620-4d53-878c-410a857f3212
XS518BLPBM12	INDUCTIV SENSOR CYL LONG M18 12 24VDC PNP NC 3WIR FLUSH SN 5MM CONN M	3bc2f5da-1620-4d53-878c-410a857f3212
XS530BLPAM12	INDUCTIV SENSOR CYL LONG M30 12 24VDC PNP NO 3WIR FLUSH SN 10MM CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS512BLPAM12	INDUCTIV SENSOR CYL LONG M12 12 24VDC PNP NO 3WIR FLUSH SN 2MM CONN M	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1PBM12	Inductive sensor XS5 cylindrical M30 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1PBM12	Inductive sensor XS5 cylindrical M18 Sn 5mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1NAM12	Inductive sensor XS5 cylindrical M12 Sn 2mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1DAM12	INDUCTIVE SENSOR CYL LONG M12 12 24 VDC NO 2WIR FLUSH SN 4MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1DBM12	INDUCTIVE SENSOR CYL LONG M12 12 24 VDC NC 2WIR FLUSH SN 4MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS612B1NBM12	Inductive sensor XS6 cylindrical M12 Sn 4 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B5PBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3WIRES NON-FLUSH CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS530BSCAM12	INDUCTIVE SENSOR CYL SHORT M30 12 24 VDC1-4 NO 2WIR FLUSH SN 10MM CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PA349SCTF	INDUCTIV SENSOR CYL M30 12 24V DC PNP NO3WIRES FLUSH PIGT DEUTSCH CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS512BSDAM12	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NO 2WIR FLUSH SN 2MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N30PB349SCTF	INDUCTIV SENSOR CYL M30 12 24V DC PNP NC3WIRES FLUSH PIGT DEUTSCH CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS518BSDAM12	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NO 2WIR FLUSH SN 5MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1DAM12	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NO 2WIR FLUSH SN 8MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1DBM12	INDUCTIVE SENSOR CYL LONG M18 12 24 VDC NC 2WIR FLUSH SN 8MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES FLUSH M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PBM12TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NC 3WIRES FLUSH M12 CO	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1DAM12	INDUCTIVE SENSOR CYL LONG M30 12 24 VDC NO 2WIR FLUSH SN 15MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1DBM12	INDUCTIVE SENSOR CYL LONG M30 12 24 VDC NC 2WIR FLUSH SN 15MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B3DAM12	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NO 2WIR FLUSH SN 4MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B3DBM12	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NC 2WIR FLUSH SN 8MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B3DAM12	INDUCTIVE SENSOR CYL SHORT M30 12 24 VDC NO 2WIR FLUSH SN 15MM CONNEC	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B3DBM12	INDUCTIVE SENSOR CYL SHORT M12 12 24 VDC NC 2WIR FLUSH SN 4MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18MA250K	Inductive sensor XS2 cylindrical M18 Sn 8 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18MA250KTF	Inductive sensor XS2 cylindrical M18 Sn 8 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18MB250K	Inductive sensor XS2 cylindrical M18 Sn 8 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M30MA250K	Inductive sensor XS2 cylindrical M30 Sn 15 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B3DAM12	INDUCTIVE SENSOR CYL SHORT M18 12 24 VDC NO 2WIR FLUSH SN 8MM CONNECT	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M30MB250K	Inductive sensor XS2 cylindrical M30 Sn 15 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30KP340D	Inductive sensor XS1 cylindrical M30 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M12KP340D	Inductive sensor XS2 cylindrical M12 Sn 4 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18KP340D	Inductive sensor XS2 cylindrical M18 Sn 8 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M30KP340D	Inductive sensor XS2 cylindrical M30 Sn 15 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2N18NC410D	Inductive sensor XS2 cylindrical M18 Sn 8 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18PC410D	PROXIMITY SWITCH	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M12PC410D	Inductive sensor XS2 M12, 12..24VDC	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M18AB120SB3	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC ANALOGICAL 4 20MA NON FLUS	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M08NC410	Inductive sensor XS1 cylindrical M8 Sn 1.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M08PC410	Inductive sensor XS1 cylindrical M8 Sn 1.5 Mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M08PC410	Inductive sensor XS2 cylindrical M8 Sn 2.5 Mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1DAL2TF	XS PROXIMITY SWITCH + OPTIONS	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1DAL5	Inductive sensor XS5 cylindrical M8 Sn 1.5 Mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1NAL2	Inductive sensor XS5 cylindrical M8 Sn 1.5 Mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PAL5	Inductive sensor XS5 cylindrical M8 Sn 1.5 Mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PBL08SBV	INDUCTIVE SENSOR CYLINDM8 SN1.5MM BINDER	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PBL2	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS508BLPAL2	INDUCTIV SENSOR CYL LONG M08 12 24VDC PNP NO 3WIR FLUSH SN 1,5MM CABL	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M08PC410L1	DDPI M8 SN=2,5MM NONC PNP NON-FLUSH 10-38VDC 3W	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS508B1CAL08M12	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm precabled M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18PAS20D	Inductive sensor XS1 cylindrical M18 Sn 5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M08PC410D	Inductive sensor XS2 cylindrical M8 Sn 2.5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS506B1NAM8	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NO 3WIR FLUSH SN 1,5MM CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS506B1NBM8	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NC 3WIR FLUSH SN 1,5MM CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS506B1PAM12	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSH SN 1,5MM CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS506B1PAM8	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSH SN 1,5MM CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS506B1PBM8	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NC 3WIR FLUSH SN 1,5MM CON	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PBM12	INDUCTIVE SENSOR CYLINDRICAL DIA8 12 24V DC PNP NC 3WIRES FLUSH CONNE	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PBM8	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm M8 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS508BLNBM12	INDUCTIV SENSOR CYL LONG M08 12 24VDC NPN NC 3WIR FLUSH SN 1,5MM CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS508BLPAM12	INDUCTIV SENSOR CYL LONG M08 12 24VDC PNP NO 3WIR FLUSH SN 1,5MM CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1DAM12	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1NAM8	Inductive sensor XS5 cylindrical M8 Sn 1.5 mm M8 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS508B1PAM12	INDUCTIVE SENSOR CYLINDRICAL DIA8 12 24V DC PNP NO 3WIRES FLUSH CONNE	3bc2f5da-1620-4d53-878c-410a857f3212
XS508BLPBM12	INDUCTIV SENSOR CYL LONG M08 12 24VDC PNP NC 3WIR FLUSH SN 1,5MM CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18PAS40D	Inductive proximity sensors XS, inductive sensor XS1 M18, L70mm, stainless, Sn5mm, 12...24 VDC, M12	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MAL5TT	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 5M TT	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18MA250L1	Inductive sensor XS1 cylindrical M18 Sn 5 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18MB250	Inductive sensor XS1 cylindrical M18 Sn 5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30MA250L1	Inductive sensor XS1 cylindrical M30 Sn 10 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30MA250L2	Inductive sensor XS1 cylindrical M30 Sn 10 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N18PA349SCL	INDUCTIVE SENSOR XS5 CYLINDRICAL M30 SN 10 MM SPECIAL CABLE WITH DEUTSCH CONNE	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1DAL5	Inductive sensor XS5 cylindrical M12 Sn 2 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1DBL2	Inductive sensor XS5 cylindrical M12 Sn 2 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1DAL5	Inductive sensor XS5 cylindrical M18 Sn 5 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1DBL2	Inductive sensor XS5 cylindrical M18 Sn 5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1DAL10	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 10m	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1DAL5TF	INDUCTIVE SENSOR XS5 CYLINDRICAL M30 SN 10 MM CABLE 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1DBL2	Inductive sensor XS5 cylindrical M30 Sn 10 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4NBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1PAL2TF	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES FLUSH 2M CAB	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4MAL2SBZ	INDUCTIVE SENSOR M18 AC/DC NO SPECIAL	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4MAL5	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4MBL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NC 2WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS618B4NBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL10TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL2TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1PAL5TF	INDUCTIVE SENSOR XS6 CYLINDRICAL M30 SN 15 MM CABLE 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4MAL10	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON-FLUSH 10M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4MBL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NC 2WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4NAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4PAL10	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON-FLUSH 10	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4PAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4PAL5	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON-FLUSH 5M	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4PBL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3WIRES NON-FLUSH 2M	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1CAL08M12	Inductive sensor XS5 cylindrical M18 Sn 5 mm precabled M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1DAL01C	INDUCTIVE SENSOR XS5 CYLINDRICAL DIA18 SN 5 MM DIN CONNECTOR 150MM	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18MA250K	Inductive sensor XS1 cylindrical M18 Sn 5 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M18MB250K	Inductive sensor XS1 cylindrical M18 Sn 5 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30MA250K	Inductive sensor XS1 cylindrical M30 Sn 10 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M30MB250K	Inductive sensor XS1 cylindrical M30 Sn 10 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MBU20	Inductive sensor XS6 cylindrical M18 Sn 8 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4MAU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON-FLUSH U20	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4MBU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NC 2WIRES NON-FLUSH U20	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1CAM12	Inductive sensor XS5 cylindrical M12 Sn 2 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1DAM12	Inductive sensor XS5 cylindrical M12 Sn 2 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B1MBU20	Inductive sensor XS6 cylindrical M12 Sn 4 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4PAM12TF	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NC 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS612B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1MAU20	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NO 2WIR FLUSH SN 2MM CONN M	3bc2f5da-1620-4d53-878c-410a857f3212
XS512B1MBU20	INDUCTIV SENSOR CYL LONG M12 24 240V ACDC NC 2WIR FLUSH SN 2MM CONN M	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1MAU20	INDUCTIV SENSOR CYL LONG M30 24 240V ACDC NO 2WIR FLUSH SN 10MM CONN	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1CAM12	Inductive sensor XS5 cylindrical M18 Sn 5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1DBM12	Inductive sensor XS5 cylindrical M18 Sn 5 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1MAU20	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NO 2WIR FLUSH SN 5MM CONN M	3bc2f5da-1620-4d53-878c-410a857f3212
XS518B1MBU20	INDUCTIV SENSOR CYL LONG M18 24 240V ACDC NC 2WIR FLUSH SN 5MM CONN M	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1CAM12	Inductive sensor XS5 cylindrical M30 Sn 10 mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS530B1DAM12	Inductive sensor XS5 cylindrical M30 Sn 10 Mm M12 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NC 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B1MBU20	Inductive sensor XS6 cylindrical M30 Sn 15 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS630B4MAU20	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON-FLUSH U20	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4NAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS630B4PBM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NC 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS618B1MBM12SBN	INDUCTIVE SENSOR CYLIND M18 FLUSH 12 90V	3bc2f5da-1620-4d53-878c-410a857f3212
XS212AANAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS212AAPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS218AAMAU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON-FLUSH U20	3bc2f5da-1620-4d53-878c-410a857f3212
XS218AANAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS218AAPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS230AAMAU20	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON-FLUSH U20	3bc2f5da-1620-4d53-878c-410a857f3212
XS230AANAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS230AAPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS212SANAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS212SAPAM12	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS218SANAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS218SAPAM12	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS230SANAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS230SAPAM12	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES NON-FLUSH M1	3bc2f5da-1620-4d53-878c-410a857f3212
XS218SAMAU20	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON-FLUSH U20	3bc2f5da-1620-4d53-878c-410a857f3212
XS230SAMAU20	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON-FLUSH U20	3bc2f5da-1620-4d53-878c-410a857f3212
XS1L04NA310	Inductive sensor XS1 cylindrical and 4 mm Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1L04NB310	Inductive sensor XS1 cylindrical and 4 mm Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1L04PB310	Inductive sensor XS1 cylindrical and 4 mm Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N05NA310	Inductive sensor XS1 cylindrical M5 Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N05NB310	Inductive sensor XS1 cylindrical M5 Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N05PA310L1	Inductive sensor XS1 cylindrical M5 Sn 1 mm cable 5m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N05PB310	Inductive sensor XS1 cylindrical M5 Sn 1 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M08MA230	Inductive sensor XS2 cylindrical M8 Sn 2.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M08MA230K	Inductive sensor XS1 cylindrical M8 Sn 1.5 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N05NA311S	Inductive sensor XS1 cylindrical M5 Sn 0.8 mm M8 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1M08MB230	Inductive sensor XS1 cylindrical M8 Sn 1.5 mm cable 2m	3bc2f5da-1620-4d53-878c-410a857f3212
XS2M08MA230K	Inductive sensor XS2 cylindrical M8 Sn 2.5 mm and connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1L04PA310S	Inductive sensor XS1 cylindrical and 4 mm Sn 1 mm M8 connector	3bc2f5da-1620-4d53-878c-410a857f3212
XS1N05PA310S	Inductive proximity sensors XS, inductive sensor XS1 M5, L42mm, brass, Sn1mm, 5...24VDC, M8	3bc2f5da-1620-4d53-878c-410a857f3212
XS506B1PAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSH SN 1,5MM CAB	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS508B1PBP01SAQ	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NC 3WIRES FLUSH REMOTE	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS1M18MA231L1	PROXIMITY DETECTOR	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS106B3PAL2	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NO 3WIRES FLUSH 2M CABL	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS508B1PASA3	INDUCTIVE SENSOR CYLINDRICAL M8 12 24V DC PNP NO 3WIRES FLUSH REMOTE	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS1L06PC410	Inductive sensor XS1 cylindrical and 6.5 mm Sn 1.5 mm cable 2m	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce

TMS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS106B3PBL2	INDUCTIVE SENSOR CYLINDRICAL L06 12 24VDC PNP NC 3WIRES FLUSH 2M CABL	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS506B1NAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NO 3WIR FLUSH SN 1,5MM CAB	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS506BLPAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NO 3WIR FLUSH SN 1,5MM CAB	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS506B1PBL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC PNP NC 3WIR FLUSH SN 1,5MM CAB	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS506B1NBL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NC 3WIR FLUSH SN 1,5MM CAB	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS606B1DBL2	INDUCTIVE SENSOR CYL LONG L06 12 24 VDC NC 2WIR FLUSH SN 2,5MM CABLE	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS506BLNAL2	INDUCTIV SENSOR CYL SHORT L06 12 24VDC NPN NO 3WIR FLUSH SN 1,5MM CAB	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS1M18PA371L1	Inductive sensor XS1 cylindrical M18 Sn 5mm cable 5m	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218SAMAL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS230SAMAL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS230SAMAL5	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 5M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218AAMAL2	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS230AAMAL10	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 10M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS230AAMAL2	INDUCTIVE SENSOR CYLINDRICAL M30 24 240V ACDC NO 2WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218SAMAL10	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 10M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218SAMAL5	INDUCTIVE SENSOR CYLINDRICAL M18 24 240V ACDC NO 2WIRES NON FLUSH 5M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS212AAPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3WIRES NON FLUSH 5M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218SAPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS212AANAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC NPN NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS212SAPAL10	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON FLUSH 10	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS212SAPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS230SAPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC PNP NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218AAPAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS212AAPAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 48V DC PNP NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218SANAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC NPN NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218AAPAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC PNP NO 3WIRES NON FLUSH 10	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218SAPAL5	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON FLUSH 5M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS212SAPAL5	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC PNP NO 3WIRES NON FLUSH 5M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS212SANAL2	INDUCTIVE SENSOR CYLINDRICAL M12 12 24V DC NPN NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS230SAPAT2SEY	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V SN 2M RAILWAY CABLE SPECIAL CABLING	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS218AANAL2	INDUCTIVE SENSOR CYLINDRICAL M18 12 48V DC NPN NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce
XS230AAPAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC PNP NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS218SAPAL10	INDUCTIVE SENSOR CYLINDRICAL M18 12 24V DC PNP NO 3WIRES NON FLUSH 10	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce	
XS230AANAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 48V DC NPN NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce	
XS230SANAL2	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V DC NPN NO 3WIRES NON FLUSH 2M	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce	
XS230SAPAT07SEY	INDUCTIVE SENSOR CYLINDRICAL M30 12 24V SN 72CM RAILWAY CABLE SPECIAL CABLING	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce	
XS1M12PB371L1	PROXIMITY DETECTOR	58ab1c18-c2d1-4dfc-bbfe-0bab5263a3ce	
In this product, no substance under REaCh annex XVII regulation is used in the scope of restriction. According to REaCh Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	None
Decamethylcyclopentasiloxane(D5)	541-02-6	208-764-9	None
Dodecamethylcyclohexasiloxane(D6)	540-97-6	208-762-8	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France