

Date: 19/05/2025

Object: Telemecanique_Sensors_Products REACH declaration (REACH: Registration, Evaluation, Authorization and Restriction of Chemicals)

Dear Customer,

TMSS France and its affiliates have undertaken to strictly comply with the REACH regulation N° 1907/2006 for the declaration of Substances of Very High Concern (hereafter referred to as SVHC), authorization (Annex XIV) and restriction (Annex XVII).

As per our commitment under article 33 of the said regulation, you will find attached here below information, to the best of our knowledge and as of the date of publication of this information, regarding the presence of SVHC in Telemecanique Sensors' products.

This information may evolve over time based on the improved knowledge resulting from both additional information provided by our suppliers and our own investigations.

Best Regards,



Didier BARON
Head of Telemecanique Sensors PBU
YAGEO Group

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

The data shown in this spreadsheet are related to the following version of the REACH regulation: January 2024 candidate list.

Commercial References	Description	SCIP ID
XS7C4A1MPG13	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO/NC 2WIRE FLUSH SN 15M	75d611ba-692a-4e35-ab64-a65a95931047
XS7C4A1DPG13	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE FLUSH SN 15MM C	75d611ba-692a-4e35-ab64-a65a95931047
XS7C4A1MPN12	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO NC 2WIRE FLUSH SN 15M	75d611ba-692a-4e35-ab64-a65a95931047
XS7C4A1MPP20	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO NC 2WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1DPG13	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE FLUSH SN 20MM C	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1MPG13	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO/NC 2WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1MPN12	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO NC 2WIRE FLUSH SN 15M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1MPP20	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO NC 2WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1PCG13	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1PCP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A4PCG13	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 40M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A4PCP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 40M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A4MPG13	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO/NC 2WIRE NFLUSH SN 40	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A4MPP20	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO/NC 2WIRE NFLUSH SN 40	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A4NCG13	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NPN NONC 4WIRE FLUSH SN 40M	75d611ba-692a-4e35-ab64-a65a95931047
XS7C4A1DPN12	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE FLUSH SN 15MM C	75d611ba-692a-4e35-ab64-a65a95931047
XS7C4A1DPP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE FLUSH SN 15MM C	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1DPN12	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE FLUSH SN 20MM C	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1DPP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE FLUSH SN 20MM C	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1MPN12TF	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO/NC 2WIRE FLUSH SN 20MM CON1/2NPT	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1NCG13	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NPN NONC 4WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1NCN12	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NPN NONC 4WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1NCP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NPN NONC 4WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1PCM12	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1PCN12	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 20M	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A1PCP20EX	INDUCTIVE SENSOR 40X40X117 ATEX IECEx 48V DC PNP NONC 4WIR FLUSH SN20	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A2PCP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE NO FLUSH SN	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A4DPG13	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE NFLUSH SN 40MM	75d611ba-692a-4e35-ab64-a65a95931047
XS8C4A4DPP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NO/NC 2WIRE NFLUSH SN 40MM	75d611ba-692a-4e35-ab64-a65a95931047

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France

XS8C4A4MPN12	INDUCTIVE SENSOR RECT 40X40X117 24 240V ACDC NO/NC 2WIRE NFLUSH SN 40	75d611ba-692a-4e35-ab64-a65a95931047	
XS8C4A4NCP20	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC NPN NONC 4WIRE FLUSH SN 40M	75d611ba-692a-4e35-ab64-a65a95931047	
XS8C4A4PCM12	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 40M	75d611ba-692a-4e35-ab64-a65a95931047	
XS8C4A4PCN12	INDUCTIVE SENSOR RECT 40X40X117 12 48V DC PNP NONC 4WIRE FLUSH SN 40M	75d611ba-692a-4e35-ab64-a65a95931047	
XS8C4A4PCP20EX	INDUCTIVE SENSOR 40X40X117 ATEX IECEX 48V DC PNP NONC 4WIR NFLUSH SN4	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A1PCG13	INDUCTIVE PROXIMITY SENSORS XS, INDUCTIVE SENSOR XS9 40X40X117, PBT, SN20 MM, 12...24 VDC, TERMINALS	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A1PCP20	INDUCTIVE PROXIMITY SENSORS XS, INDUCTIVE SENSOR XS9 40X40X117, PBT, SN20 MM, 12...24 VDC, TERMINALS	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A2A1G13	INDUCTIVE SENSOR RECT 40X40X117 12 24V DC ANALOG 010V NFLUSH SN 25MM	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A2A1G13SCU	INDUCTIVE SENSOR RECTANG 24VDC 2 WIRES ANALOG 4 20MA FLUSH SENSING 20	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A2A1N12	INDUCTIVE SENSOR RECT 40X40X117 12 24V DC ANALOG 010V NFLUSH SN 25MM	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A2A2G13	INDUCTIVE SENSOR RECT 40X40X117 12 24V DC ANALOG 420MA NFLUSH SN 25MM	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A2A2N12	INDUCTIVE SENSOR RECT 40X40X117 12 24V DC ANALOG 420MA NFLUSH SN 25MM	75d611ba-692a-4e35-ab64-a65a95931047	
XS9C4A2A2P20	INDUCTIVE SENSOR RECT 40X40X117 12 24V DC ANALOG 420MA NFLUSH SN 25MM	75d611ba-692a-4e35-ab64-a65a95931047	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (Cresol)	119-47-1	204-327-1	None

Commercial References	Description	SCIP ID	
XS8G12PC440	INDUCTIVE PROXIMITY SENSORS XS, INDUCTIVE SENSOR XS8 12X40X26, PLASTIC, SN4MM, 12...48 VDC, CABLE 2 M	05286f3d-ea19-48a3-a9e8-ad9ebf8d3f8e	
XS8G12PC440L2	INDUCTIVE PROXIMITY SENSORS XS, INDUCTIVE SENSOR XS8 12X40X26, PLASTIC, SN4MM, 12...48 VDC, CABLE 10 M	05286f3d-ea19-48a3-a9e8-ad9ebf8d3f8e	
In this product, no substance under REACH annex XVII regulation is used in the scope of restriction. According to REACH Regulation EC 1907/2006 article 33 duties and the judgment of the EU court of Justice of 10 September 2015 in case C-106/14, the following SVHC(s) are present in this product above 0.1% threshold at part level. Our products are safe from a chemical exposure perspective, under normal condition of use.			
SvHC Content	CAS Number	EC Number	Specific Safe Condition of Use
Lead	7439-92-1	231-100-4	None
Octamethylcyclotetrasiloxane(D4)	556-67-2	209-136-7	None
Decamethylcyclopentasiloxane(D5)	541-02-6	208-764-9	None
Dodecamethylcyclhexasiloxane(D6)	540-97-6	208-762-8	None

TMSS France and its affiliates

Postal address / Adresse postale :
Tour Eqho 2 avenue Gambetta 92400 COURBEVOIE - France

Legal information / Mentions légales
Société par actions simplifiée au capital de 366 931 214 euros
908 125 255 RCS Nanterre – code APE : 2640Z
Siret : 90812525500012
n° ident. TVA : FR 21 908 125 255
Siège Social : Tour Eqho - 2 avenue Gambetta - 92400 COURBEVOIE – France